


NYLON SLINGS



HEAVY DUTY NYLON & POLYESTER SLINGS[†]

- 1) Heavy Duty Web thickness is approximately 3/16".
- 2) Eye length of Types 3 and 4 varies with sling width and number of webbing plies.



EYE LENGTH CHART

SLING WIDTH (IN)	PLIES OF WEBBING (IN)			
	1	2	3	4
1	8-1/2	8-1/2	10	10
2	10	10	12	12
3	11	11	14	14
4	12	12	16	16
5	14	14	18	18
6	16	16	18	18
8	20	20	24	24
10	24	24	24	24
12	24	24	24	24

ALL SLINGS ARE DOUBLE TAGGED FOR BETTER IDENTIFICATION

TYPES 3-FLAT EYE & 4-TWISTED EYE

	WEB WIDTH (IN)	FLAT EYE		RATED CAPACITIES (LBS)		
		TYPE 3 [EE]	TYPE 4 [EE]	VERTICAL	CHOKER	BASKET
1 PLY	1	EE1-801		1,600	1,200	3,200
	2	EE1-802		3,200	2,400	6,400
	3	EE1-803		4,800	3,600	9,600
	4	EE1-804		6,400	4,800	12,800
	5	EE1-805		8,000	6,000	16,000
	6	EE1-806		9,600	7,200	19,200
2 PLY	8	EE1-808		12,800	9,600	25,600
	10	EE1-810		16,000	12,000	32,000
	12	EE1-812		19,200	14,400	38,400
	1	EE2-801		3,200	2,400	6,400
	2	EE2-802		6,400	4,800	12,800
	3	EE2-803		8,600	6,500	17,200
3 PLY	4	EE2-804		11,500	8,600	23,000
	5	EE2-805		13,600	10,200	27,200
	6	EE2-806		16,300	12,200	32,500
	8	EE2-808		22,700	18,150	45,400
	10	EE2-810		28,400	22,700	58,800
	12	EE2-812		34,100	27,250	68,200
4 PLY	1	EE3-801		4,100	3,100	8,200
	2	EE3-802		8,300	6,200	16,600
	3	EE3-803		12,500	9,300	25,000
	4	EE3-804		16,000	12,000	32,000
	5	EE3-805		19,200	14,400	38,400
	6	EE3-806		23,000	17,200	46,000
5 PLY	8	EE3-808		30,700	23,000	61,400
	10	EE3-810		36,800	27,800	73,600
	12	EE3-812		44,000	33,000	88,000
	1	EE4-801		5,000	3,800	10,000
	2	EE4-802		10,000	7,500	20,000
	3	EE4-803		14,900	11,100	29,800
6 PLY	4	EE4-804		19,800	14,800	39,600
	5	EE4-805		24,800	18,600	49,500
	6	EE4-806		29,800	22,300	59,600
	8	EE4-808		39,700	29,700	79,400
	10	EE4-810		49,600	37,200	99,200
	12	EE4-812		59,500	44,600	119,000

TYPE 5 ENDLESS

	WEB WIDTH (IN)	TYPE 5 [EE]	RATED CAPACITIES (LBS)		
			VERTICAL	CHOKER	BASKET
1 PLY	1	EN1-801	3,200	2,500	6,400
	2	EN1-802	6,400	5,000	12,800
	3	EN1-803	8,600	6,900	17,200
	4	EN1-804	11,500	9,200	23,000
	5	EN1-805	13,600	10,900	27,200
	6	EN1-806	16,300	13,000	32,600
2 PLY	8	EN1-808	19,200	15,400	38,400
	10	EN1-810	22,400	17,900	44,800
	12	EN1-812	26,900	21,500	53,800
	1	EN2-801	6,200	4,900	12,400
	2	EN2-802	12,200	9,800	24,400
	3	EN2-803	16,300	13,000	32,600
3 PLY	4	EN2-804	20,700	16,500	41,400
	5	EN2-805	24,500	19,600	49,000
	6	EN2-806	28,600	23,000	57,200
	8	EN2-808	30,700	24,500	61,400
	10	EN2-810	33,600	26,800	67,200
	12	EN2-812	37,600	30,000	75,200
4 PLY	1	EN3-801	8,000	6,400	16,000
	2	EN3-802	16,000	12,800	32,000
	3	EN3-803	21,500	17,200	43,000
	4	EN3-804	28,700	23,000	57,400
	5	EN3-805	34,000	27,200	68,000
	6	EN3-806	40,700	32,500	81,400
5 PLY	8	EN3-808	46,000	36,800	92,000
	10	EN3-810	51,500	41,200	103,000
	12	EN3-812	59,200	47,300	118,400
	1	EN4-801	10,000	8,000	20,000
	2	EN4-802	19,800	15,800	39,600
	3	EN4-803	26,700	21,300	53,400
6 PLY	4	EN4-804	35,600	28,400	71,200
	5	EN4-805	42,200	33,700	84,400
	6	EN4-806	50,500	40,400	101,000
	8	EN4-808	57,600	46,000	115,200
	10	EN4-810	67,200	53,700	134,400
	12	EN4-812	80,700	64,500	161,400

TYPES 1 & 2

	WEB WIDTH (IN)	TYPE 1 [TC]	TYPE 2 [TT]	RATED CAPACITIES (LBS)		
				VERTICAL	CHOKER*	BASKET
1 PLY	2	TC1-802	TT1-802	3,200	2,400	6,400
	3	TC1-803	TT1-803	4,800	3,600	9,600
	4	TC1-804	TT1-804	6,400	4,800	12,800
	5	TC1-805	TT1-805	8,000	6,000	16,000
	6	TC1-806	TT1-806	9,600	7,200	19,200
	8	TC1-808	TT1-808	12,800	9,600	25,600
2 PLY	10	TC1-810	TT1-810	16,000	12,000	32,000
	12	TC1-812	TT1-812	19,200	14,400	38,400
	16	TC1-816	TT1-816	25,500	19,200	51,000
	18	TC1-818	TT1-818	28,700	21,000	57,400
	20	TC1-820	TT1-820	32,000	24,000	64,000
	24	TC1-824	TT1-824	38,400	28,800	76,800
3 PLY	2	TC2-802	TT2-802	6,400	4,800	12,800
	3	TC2-803	TT2-803	8,600	6,500	17,200
	4	TC2-804	TT2-804	11,500	8,600	23,000
	5	TC2-805	TT2-805	14,000	10,500	28,000
	6	TC2-806	TT2-806	16,800	12,600	33,600
	8	TC2-808	TT2-808	22,400	16,800	44,800
4 PLY	10	TC2-810	TT2-810	28,000	21,000	56,000
	12	TC2-812	TT2-812	33,600	25,200	67,200
	16	TC2-816	TT2-816	44,800	33,600	89,600
	18	TC2-818	TT2-818	50,400	37,800	100,800
	20	TC2-820	TT2-820	56,000	42,000	112,000
	24	TC2-824	TT2-824	67,200	50,400	134,400

Three & Four Ply Hardware Slings are Available upon Request.
* Type Two cannot be used with a choker hitch.

† **Monster-Edge** available for all Heavy Duty Type Slings. Most web sling damage starts on the edge and progresses across the face of the webbing. Polymer coated yarns are woven into the edges of Monster-Edge sling webbing to reduce damage and increase its useful life.

Monster-Edge is 67% more resistant to edge cutting than standard sling webbing.

NOTE: Add an "M" onto the end of ordering code for Monster-Edge.

Tapering - As a standard practice, the eyes, or bearing points of sling Types 3 and 4 are tapered to accommodate a crane hook on slings that are 3" and wider. Untapered eyes are available upon request. Type 5 (Endless) slings are NOT tapered unless specified on order.

Treatment - Unless specifically requested, all nylon web slings will have an abrasion resistant treatment applied. The standard for polyester web slings, however, is without treatment.

NOTE: Add a "P" to the end of Sling Code for Polyester. Polyester webbing is not available over 10" in width.

THE COST-EFFECTIVE CHOICE!

SINGLE PATH - ENDLESS POLYESTER ROUND SLINGS

- A flexible solution to your lifting needs.
- Rotation of lift points extends service life of sling.
- Length measure from Bearing Point to Bearing Point.
- Two same color polyester tubular jackets.



STOCK NUMBER	COLOR	MIN. LENGTH (FT)	APPROX. MEASUREMENTS			RATED CAPACITIES (LBS)		
			WEIGHT (LBS/FT)	BODY DIA. RELAXED (IN)	WIDTH AT LOAD (IN)	VERTICAL	CHOKER	BASKET
SP260	Purple	3	.20	5/8	1-1/8	2,600	2,100	5,200
SP530	Green	3	.30	7/8	1-1/2	5,300	4,200	10,600
SP840	Yellow	3	.40	1-1/8	1-7/8	8,400	6,700	16,800
SP1060	Tan	3	.50	1-3/8	2-1/8	10,600	8,500	21,200
SP1320	Red	3	.70	1-3/8	2-1/4	13,200	10,600	26,400
SP1680	White	3	.80	1-3/8	2-1/2	16,800	13,400	33,600
SP2120	Blue	3	1.1	1-3/4	3	21,200	17,000	42,400
SP3100	Grey	3	1.6	2-1/4	3-3/4	31,000	24,800	62,000
SP4000	Orange	5	2.0	2-1/2	4-3/16	40,000	32,000	80,000
SP5300	Brown	8	2.5	2-3/4	4-5/8	53,000	42,400	106,000
SP6600	Olive	8	3.1	3-1/8	5-1/4	66,000	52,800	132,000
SP9000	Black	8	4.0	3-5/8	6	90,000	72,000	180,000
SP10000	Black	8	4.4	4	6-1/4	100,000	80,000	200,000