



HANES SUPPLY INC.



SPRING/SUMMER 2025

WITH RESPECT TO RECENTLY ANNOUNCED TARIFFS AND
UNCERTAINTY AS TO HOW OR WHEN THEY MIGHT AFFECT
COSTS, PRODUCTS HAVE NOT BEEN PRICED.
PLEASE CONTACT HSI FOR YOUR UP TO DATE PRICING.
ITEM AVAILABILITY IS NOT GUARANTEED.



HSI[®]

NYLON



TYPE 1 (TC) TRIANGLE SLING

Slings have a triangle and choker fitting on either end. This is most commonly used in a choker hitch, but can also be used in basket.



TYPE 2 (TC) TRIANGLE SLING

Slings have a triangle fitting on each end. Type 2 slings are more economical than Type 1. They are normally used in a basket hitch, can be used in a vertical hitch, but they cannot be used in a choker hitch.



TYPE 3 (EE) EYE AND EYE SLING

Flat Eye slings are very popular slings that can be used in all three types of hitches. They are easy to remove from beneath the load after the load is in place. Unless Type 4 is requested, Type 3 will be supplied as the standard EE sling.



TYPE 4 (EE) TWISTED EYE AND EYE SLING

Twisted Eye slings are similar to Type 3 except the eyes are turned 90 degrees to form a better choker hitch. This type of eye also nests together better when used in a basket hitch.



TYPE 5 (EN) ENDLESS SLING

Endless slings are very economical. They can be used in all three types of hitches and wear points can be moved to increase sling life. The sling legs can be spread for improved load balance.



TYPE 6 (RE) REVERSED EYE NYLON SLING [WITH CORDURA WEAR PADS]

Reversed Eye slings have protective webbing over the entire body and eyes. This extra webbing reinforces the sling and protects it from wear, resulting in an exceptionally resilient sling.



ATTACHED EYE WIDE-LIFT SLING [LIGHT LOADS]

Attached eye wide-lift slings are ideal for lifts that require wider bearing areas and some balance attributes. Eyes are made from separate material-WLA1 is 1-ply, WLA2 is 2-ply-both sewn to the sling body. Body is single ply for both 1 and 2-ply eyes.



CONTINUOUS EYE WIDE-LIFT SLING [HEAVY LOADS]

Continuous eye wide-lift slings are constructed from one endless sling with the two body lengths butted and joined side-by-side. Stiffener webbing is used at the base of the eyes to deter the body webbing from folding down the middle.



NYLON MONSTER EDGE SLING

Monster Edge nylon slings are produced with a stiffer material that adds reinforcement and durability to the sling's edges. Available in widths of 1in - 4 in, and 6 in.

NYLON BRIDLE SLING

Nylon bridles can be configured with varied leg lengths for the purpose of lifting and handling loads that have fixed lifting lugs or attachment points.

[1] Choose the number of legs required — 1,2,3 or 4

[2] Choose the length of legs necessary — *fully customizable sizing*

[3] Choose the proper connection attachment - *eye, hook or oblong link*

[4] Contact your HSI Sales Rep for a customized, made-to-order sling



4 LEG
WITH HOOK



3 LEG
WITH LINK



2 LEG
WITH EYE



SINGLE LEG
WITH HOOK

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING


YOUR **#1 SOURCE** FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

HAVE A RIGGING CHALLENGE? WE ARE YOUR SLING SPECIALISTS!

POLYESTER

SINGLE-PATH ENDLESS POLYESTER ROUND SLINGS

- A flexible solution to your lifting needs
- Rotation of lift points extends service life of sling
- Length measure from bearing point to bearing point
- Two same color polyester tubular jackets
- The cost-effective choice



STOCK #	COLOR	MIN. LENGTH	APPROXIMATE MEASUREMENTS			RATED CAPACITIES (lb)		
			WEIGHT [lb/ft]	BODY DIA.	WIDTH AT LOAD	VERTICAL	CHOKER	BASKET
SP260	PURPLE	3 ft	0.20	5/8 in	1-1/8 in	2,600	2,100	5,200
SP530	GREEN	3 ft	0.30	7/8 in	1-1/2 in	5,300	4,200	10,600
SP840	YELLOW	3 ft	0.4	1-1/8 in	1-7/8 in	8,400	6,700	16,800
SP1060	TAN	3 ft	0.50	1-1/8 in	2-1/8 in	10,600	8,500	21,200
SP1320	RED	3 ft	0.70	1-3/8 in	2-1/4 in	13,200	10,600	26,400
SP1680	WHITE	3 ft	0.80	1-3/8 in	2-1/2 in	16,800	13,400	33,600
SP2120	BLUE	3 ft	1.1	1-3/4 in	3 in	21,200	17,000	42,400
SP3100	GRAY	3 ft	1.6	2-1/4 in	3-3/4 in	31,000	24,800	62,000
SP4000	ORANGE	5 ft	2.0	2-1/2 in	4-3/16 in	40,000	32,000	80,000
SP5300	BROWN	8 ft	3.5	2-3/4 in	4-5/8 in	53,000	42,400	106,000
SP6600	OLIVE	8 ft	3.1	3-1/8 in	5-1/4 in	66,000	52,800	132,000
SP9000	BLACK	8 ft	4.0	3-5/8 in	6 in	90,000	72,000	180,000
SP10000	BLACK	8 ft	4.4	4 in	6-1/4 in	100,000	80,000	200,000



WIRE ROPE

HSI offers a wide range of wire rope slings. Whether you are looking for a standard 105B, a hand-tucked sling for the steel erection/iron worker industry, or a flexible, smooth finish cable laid sling, our wire rope fabrication facilities can fabricate the right solution for your lift. Our wire rope bridle slings are available in various end-terminations and hardware configurations to best suit your needs.



SCAN QR FOR OUR
RIGGING BROCHURE



CHAIN

HSI has a long history of providing quality chain slings to industry. We use CM® grade 100 Herc-Alloy® 1000 Chain and attachments along with Crosby® Fittings in the manufacture of our slings. In addition to the products you see here, we manufacture custom chain assemblies to your specifications. Herc-Alloy® 1000 chain and attachments are black finish and/or color coded orange for easy, permanent identification. The chain is embossed with the grade (HA-1000).



SCAN QR FOR OUR
RIGGER'S HANDBOOK



PLEASE CONTACT **HSI** FOR YOUR UP TO DATE PRICING

ISO 9001:2015 Registered Company

Rakes

	ITEM #
[A] RAZOR-BACK® 14 Tine Road Rake	THA65530
[B] RAZOR-BACK® Aluminum Asphalt Lute Rake, 36 in	THA65550
[C] RAZOR-BACK® 15 Tine Bow Rake	THA65555
[D] RAZOR-BACK® 4 Tine Potato Hook	THA65632
[E] RAZOR-BACK® Steel Rake, 24 in	THA65559
[F] UNION TOOLS® Steel Rake, 22 in	THA65557
[G] UNION TOOLS® Poly Leaf Rake, 24 in	THA65563

Shovels

	ITEM #
[A] RAZOR-BACK® Super Socket® Round Point Shovel, 48 in	THA65236
[B] RAZOR-BACK® Round Point Shovel, 48 in	THA65320
[C] RAZOR-BACK® Round Point Shovel Fiberglass, 48 in	THA26205
[D] RAZOR-BACK® Square Point Shovel with Tab Socket, 48 in	THA65250
[E] RAZOR-BACK® Square Point Shovel with Tab Socket, 30 in	THA65200
[F] RAZOR-BACK® Square Point Shovel, 48 in	THA65255
[G] UNION TOOLS® Drain Spade with Poly D-Grip, 27 in	THA65350



JACKSON® M6FFBB Heavy Duty Contractor Wheelbarrow



- Heavy duty 6 cu-ft steel tray
- Patented leg stabilizers make wheelbarrow 40% more tip-resistant
- 16 in flat free tire
- Heavy duty wood handles

ITEM # THA68221

JACKSON® M6TCFF TOTAL CONTROL™ Wheelbarrow



- Ergo total control handles
- 6 cu-ft seamless steel tray
- Patented cleat leg stabilizers
- 16 gauge heavy duty steel handles
- Flat Free Tire

ITEM # M6TCFF-10127

TRUE TEMPER® J6 Wheelbarrow



- 6 cu-ft capacity
- Seamless steel tray
- 16 inch tubed knobby tire
- 60 inch seal coated hardwood handles

ITEM # THA68158

HYGRADE Multi-Use Tarps



- 5 mil thickness
- Fade resistant
- 3 ft grommet spacing
- Rot & rust proof

MPN	SIZE	ITEM #
MT-810	8 ft x 10 ft	CON35020
MT-1012	10 ft x 12 ft	CON35060
MT-1216	12 ft x 16 ft	CON35120
MT-1020	10 ft x 20 ft	CON35100
MT-1620	16 ft x 20 ft	CON35160
MT-2020	20 ft x 20 ft	CON35180
MT-2030	20 ft x 30 ft	CON35220
MT-3040	30 ft x 40 ft	CON35259

HYGRADE Super Heavy Duty Tarps



- 10 mil thickness
- Reinforced plastic corners
- Fade resistant
- 18 in grommet spacing
- Rot & rust proof
- 50% greater strength

MPN	SIZE	ITEM #
MTGB-810	8 ft x 10 ft	CON35300
MTGB-1012	10 ft x 12 ft	CON35305
MTGB-1020	10 ft x 20 ft	CON35310
MTGB-2020	20 ft x 20 ft	CON35320
MTGB-2030	20 ft x 30 ft	CON35330
MTGB-2040	20 ft x 40 ft	CON35335
MTGB-3050	30 ft x 50 ft	CON35340
MTGB-50100	50 ft x 100 ft	CON35360

HYGRADE TYTAN Bungee Cords



MPN	SIZE	ITEM #
TS9NR	10 in	CON36000
TS15NR	15 in	CON36020
TS21NR	21 in	CON36040
TS31NR	31 in	CON36060
TS41NR	41 in	CON36080

HUSKY® CF0620C Water Resistant Plastic Sheetting



- 6 mil thickness
- 20 ft x 100 ft
- Water resistant polyethylene

ITEM # CON30700

HUSKY® HK42WC020B Contractor Bags, 20 pk



- 42 gal 3 mil bags
- Proprietary blend of high-performance polyethylene resin
- One-by-one dispensing
- 32-3/4 in x 45-1/8 in

ITEM # CON31890

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

1.888.426.3755



TOTER® Round Trash Cans



- Rugged rim for added strength
- Integrated handles aid in lifting
- Third handle allows for easier lifting
- Vented channel for easy bag removal

ITEM #	CAPACITY
MAT17505	30 gal
MAT17497	44 gal
MAT17508	50 gal

TOTER® UTO05 Utility Tilt Truck



- 1/2 cu-yd with 400 lb capacity
- Equipped with standard forklift pockets
- Molded in handle for strength and stability
- Quick disconnect wheels for easy cleaning and maintenance

ITEM # MAT17500

TOTER® UCL00 Heavy Duty Utility Cart



- Large lipped for secure storage of materials
- Durable polypropylene construction with 550 lb capacity
- Ergonomic handle
- Easy to assemble and clean

ITEM # MAT17520

WESTERN ENTERPRISES® WESWB-101 Hotspotter Torch



- Includes: Propane tank adaptor, brass flow control shut-off valve
- 10 ft hose, 555,000 BTU/hr output
- Hotspotter is an all-purpose propane torch that delivers at full cylinder pressure with no smoke and no fumes
- Burn weeds, repair asphalt, seal tar, peel paint, remove road markings, melt ice, and thaw pipes

ITEM # THA11200

WESTERN ENTERPRISES® WESWB-100 Hotspotter Torch



- Includes: welded tube nozzle, hose with POL and excess flow check, wrenches
- 10 ft hose, WB 100, 550,000 BTU/hr output
- Hotspotter is an all-purpose propane torch that delivers at full cylinder pressure with no smoke and no fumes
- Burn weeds, repair asphalt, seal tar, peel paint, remove road markings, melt ice, and thaw pipes

ITEM # THA11195

GRIP-RITE® XR2625GR Concrete Curing Blanket



- 2 layer, foam insulated blanket
- Maintain heat of hydration in cold weather
- Can be used as an insulated tarp on scaffolding
- Edge-to-edge design with no insulation voids
- 6 ft x 25 ft

ITEM # CON12540


MUTUAL® 14988-45-48 Diamond Safety Fence



- 50 ft L x 4 ft H
- Sturdy and rigid HDPE
- Hi-Viz orange for safety
- UV stabilized to reduce fading
- Durable and designed for reuse

ITEM # CON41000


MUTUAL® Flat Warning Barrier Fence



- Lightweight oval mesh
- Hi-Viz orange for safety
- Ideal from temporary barriers on the jobsite

ITEM #	SIZE
CON41010	100 ft L x 4 ft H
CON41005	50 ft L x 4 ft H

AMERICAN POSTS U-Post Steel Fence Post



- Powder coated steel
- 6 ft U-shaped fence post

ITEM #	DESCRIPTION
CON41500	Standard
CON41505	Heavy Duty

B'BLASTER® 16-PB-DS Penetrating Lubricant, Aerosol, 11 oz



- #1-selling penetrant
- Breaks free rusted or frozen parts
- Attacks and prevents rust and corrosion from all angles
- Use on automotive, industrial, marine, plumbing and other equipment
- Featuring B'BLASTER® ProStraw® with control flow technology

ITEM # OIL40502

RED DEVIL® 0909 FOAM & FILL® Expanding Foam Sealant, 12 oz



- Triple expanding polyurethane
- For large gaps & cracks
- Foam forms an airtight, waterproof bond
- Cured foam can be sanded, painted or stained
- Environmentally safe

ITEM # MAI29506

RED DEVIL® 0913 FOAM & FILL® Expanding Foam Sealant, 12 oz



- Minimal expanding
- For small gaps & cracks
- Foam forms an airtight, waterproof bond
- Cured foam can be sanded, painted or stained
- Environmentally safe

ITEM # MAI29505

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

ISO 9001:2015 Registered Company

MILWAUKEE® 48-22-8250
Jobsite Cooler, 21.65 qt Capacity



- 2X the insulation
- Food grade leak proof liner
- 1680D ballistic material weather resistant base
- Holds ice for 24 hours
- Tape measure clip with bottle opener
- Heavy duty metal zippers
- Padded shoulder strap
- Tech Pocket for storing tablets and electronic devices
- Dry storage compartment

ITEM # 48-22-8250-11961

MILWAUKEE® 48-22-8302 PACKOUT™
Jobsite Cooler, 41.66 qt Capacity



- Part of the PACKOUT™ modular storage system
- Holds ice for up to 24 hr
- Impact resistant polymer base
- Food grade leak proof liner
- Tape measure clip also works as bottle opener
- Tear resistant ballistic material construction
- All metal hardware
- Five storage compartments
- No sweat exterior

ITEM # 48-22-8302-11961

MILWAUKEE® 48-22-8460 PACKOUT™
Personal Compact Cooler, 16 qt Capacity



- Part of the Packout™ modular storage system
- Constructed with impact-resistant polymers
- IP65 rated weather seal
- 50 lb weight capacity
- Heavy duty latches
- Reinforced Hinge
- Interior Organizer Tray
- Holds Ice for up to 30 hr
- Integrated bottle opener

ITEM # 48-22-8460-11961

MILWAUKEE® 48-22-8462 PACKOUT™
Extra Large Cooler, 40 qt Capacity



- Holds ice for 5 days
- Impact resistant polymer body
- IP65 rated protection
- Drain plug
- Food-Grade cutting board/divider
- Interior storage tray
- Integrated bottle opener
- Modular connectivity with all packout components

ITEM # 48-22-8462-11961

KLEIN® 62810BPCLR
Insulated Backpack Cooler, 11.3 qt, 30 Can



- Backpack cooler keeps items cold for up to 24 hr
- Holds up to 30 cans with 7 lb of ice
- Molded bottom is curved on the back for wearer comfort and stands up to the elements
- Front pocket is lined with 1680D material with 4 inner pockets
- Headlamp mounting bracket that fits a Klein Tools headlamp
- Back padding and load adjustment straps for added comfort and to help balance a heavy load
- Wide open top with leak resistant zipper
- Easy to clean heavy-duty waterproof construction

ITEM # 62810BPCLR-11611

KLEIN® 55600 TRADESMAN PRO™
Tough Box Hard Side Cooler, 17 qt



- Keeps cool up to 30 hr
- Supports 300 lb to provide a place to sit
- Inside storage component for keys, phone, napkins, utensils, etc
- No rust stainless hinged lid can accommodate 1 L water bottles
- Shoulder strap easily converts to handle
- 18 can capacity

ITEM # THA38665

KLEIN® 62811
Reusable Cooler Ice Packs



- Durable HDPE cooler packs keep cold for hours
- Interlocking design keeps packs neatly stacked

ITEM # 62811-11611

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

IGLOO®**Job Site Beverage Coolers**

- High impact, lightweight plastic construction — won't dent, chip or split
- Snug fitting lid
- Large handles accommodate work gloves
- Foam polyurethane insulation
- White nylon spigot

ITEM #	SIZE
CON13002	2 gal
CON13000	3 gal
CON13005	5 gal
CON13030	10 gal

NIAGARA NIA24PK**Purified Bottled Water, 16.9 oz, 24 ct**

- Lightweight Eco-Air Bottle®
- Keep the crew hydrated all season
- Screw tight lid
- Case includes (24) 16.9 oz bottles

ITEM # CON69601

IGLOO® TD900-HVY**Jobsite Beverage Cooler Rack**

- Keep your hydration station secure from jobsite to jobsite
- Compatible with 3 & 5 gal Igloo® job site beverage coolers [CON13000 & CON13005]

ITEM # TD900-HVY-12216

ALL SPORT ZERO**Powdered Electrolyte Drink Mix**

- Contains Vitamin C, electrolytes, and potassium
- Sugar free and zero calorie

50/ct Single Serve Packets

ITEM #	FLAVOR
10122541-17439	Skittles®
SAF00121	Blue Raz
SAF00122	Fruit Punch
SAF00123	Lemon Lime
SAF00124	Orange
SAF00125	Grape
SAF00135	Strawberry Banana

**2.5 gal Pouches**

ITEM #	FLAVOR
SAF00130	Blue Raz
SAF00131	Fruit Punch
SAF00132	Lemon Lime
SAF00133	Orange
SAF00134	Grape

TEC LABORATORIES FG10025**Insect Repellent Tropical, 2 oz**

- Long-lasting protection from most biting insects
- 100% DEET

ITEM # SAF37000

CORETEX SUN X30+**Broad Spectrum Sunscreen, SPF 30**

- UVA/UVB protection
- Water & sweat resistant
- PABA free & oil free

ITEM #	SIZE
71666-10496	4 oz Pump
SAF35020	1 ct [wipe]

RAINBOW TECHNOLOGY 4501**Jungle Insect Repellent**

- Up to 10 hours of protection from most biting insects
- 25% DEET

ITEM #	SIZE
SAF35060	6 oz [Aerosol]
SAF35070	50 ct [Wipes]

ERGODYNE 16633 K'REWD**SPF 50 Broad Spectrum Sunscreen, 5.5 oz**

- Water and sweat resistant for 80 minutes
- Hypoallergenic
- Clear formula — no white residue

ITEM # 1685-12707

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

ERGODYNE® 12418 CHILL-ITS® 6603
Evaporative Cooling Band



- Instant cooling relief - Run under water for 1 min or until saturated, wring out excess water for drip free cooling
- Secure fit - Pull the end through the slit for a comfortable and Secure fit around neck
- Long lasting - Can last for up to 4 hr on a single soak
- Simply re-wet to increase cooling duration
- Reusable and machine washable - Air dry until the material is stiff, re-wet until soft, machine washable, air dry only
- Heat stress prevention - Reduces the effects of heat exhaustion and fights fatigue while working or playing

ITEM # PRO13025

ERGODYNE® 12669 CHILL-ITS® 6602MF
Evaporative Cooling Towel



- Microfiber easily activates with water for up to three hours of cooling
- Microfiber is lightweight, soft and absorbent for all-day wear
- UPF 50+ protection from harmful UV rays
- Also great for outdoor recreation such as running, hiking or other activities
- Dimensions (9.8 in x 40.9 in)
- Two end accessory pockets for cell phones, headphones, pens, keys, and other small parts

ITEM # PRO13020

ERGODYNE® 6667 CHILL-ITS® 6667
Cooling Vest



- PVA material - super-evaporative material activates quickly and easily
- Lightweight cooling - advanced PVA cooling technology is lighter weight than other wet evaporative vests
- Long-lasting cooling - remains cool for up to 4 hr
- Works best in dry environments - cooling abilities in humid environments may be decreased
- Comfortable fit - side mesh panels for breathability and comfort
- Machine washable - hang dry

ITEM # CON80705

ERGODYNE® 12910 SHAX® 6010
Lightweight Pop-Up Tent, 10 ft x 10 ft



- 10 ft x 10 ft (3 m x 3 m) foot-print, peak height of 14 ft (4.27 m)
- 210D Polyester top with PU coating
- Hammer tone steel frame
- Pull pin sliders for convenient height adjustment between 10 ft - 14 ft (3.05 m - 4.27 m)
- Reinforced corners
- Wheeled storage bag
- Meets CPAI-84 flame resistance code
- Weight of 44 lb

ITEM # CON80710

ERGODYNE® 12900 SHAX® 6000
Heavy Duty Pop-Up Tent, 10 ft x 10 ft



- 10 ft x 10 ft (3 m x 3 m) foot-print, peak height of 14 ft (4.27 m)
- Rugged 300D Polyester shell with PU & UV treatments
- Double vented top for maximum air flow
- Powder coated tenacious steel frame
- Reflective accents and reinforced corners
- Weight of 46 lb
- Convenient wheel bag for easy storage and transport
- ABS plastic sliders for convenient height adjustment
- Heavy-duty ground stakes and ropes included

ITEM #	COLOR
13905-10785	Blue
CON80705	Lime Green

ERGODYNE® 12978 SHAX® 6096
Lightweight Pop-Up Tent Sidewall



- One size - 10 ft long, fits 10 x 10 ft Shax® 6000, 6010 and 6015 tents
- Zippered - enables full tent enclosure for privacy, security and protection from the elements
- Large zipper pull - for easy opening and closing when wearing gloves
- Stay open straps - hook and loop straps keep the tent open when unzipped
- Ultimate durability - 300D polyester with polyurethane and UV coatings for protection from rain and sun
- Easy set up - side hook and loop straps easily attach to tent legs

ITEM # 9525-06-10086

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

ERGODYNE® 12523 CHILL-ITS® Evaporative Hard Hat Neck Shade



- Advanced PVA material activates easily and quickly when run under water for one minute
- Re-usable, just re-wet
- Super-evaporative cooling process helps keep you cool
- Remains hydrated for up to 4 hours
- Hook and Loop straps for easy attachment
- Reflective accents
- Machine washable

ITEM # 12523-10785

OCCUNOMIX TD900-HVY Wicking & Cooling Beanie, UPF 50+



- A superior performing product to keep workers heads cooler under a work helmet with fabric proven to provide thermo-regulation in hotter working environments
- 1 minute activation in cold water
- Anti-microbial treatment to prevent growth of odor causing bacteria
- Protection from dust & debris in the air, as well as the heat & sun
- UPF 50+ blocks 98% of UV rays
- Polyester/Spandex blend

ITEM # TD900-HVY-12216

OCCUNOMIX 931-BL MIRACOOOL® Cooling Towel



- Instant cooling relief, just add water, reusable and easy to charge
- Lightweight super absorbent material holds water without weighing you down
- UPF 50+ sun protection
- Machine washable
- Packaged in small resealable bag

ITEM # PRO12070

OCCUNOMIX 940B100-01 MIRACOOOL® Neck Bandana



- New lightweight design with the same cooling power and all of the comfort of 100% cotton
- Tight interlocking stitching prevents polymer crystals from leaking
- No slimy feel like our competition
- Triple washed to avoid bleeding or staining
- Soak MiraCool® in cold water for 10 to 20 min
- Provides coolness for up to 48 hours

ITEM # SAF88000

KLEIN® 60439 Neck and Face Cooling Band



- Designed using super evaporative performance knit fabric
- Secure fit and won't unravel with sewn elastic ends
- Anti-odor treatment for long lasting freshness
- Seamless, moisture wicking fabric can be worn wet or dry
- When wet, cooling is instant and can last for hours
- UPF 50+ sun protection from harmful UV rays
- One size fits most
- Reflective accents
- Machine washable

ITEM # 60439-11611

MILWAUKEE® 423 Multi-Functional Neck Gaiter



- 5+ ways to wear
- Adaptable face covering and protection
- Made from a moisture-wicking, breathable blend of lightweight polyester and spandex
- Blocks harmful UV rays and prevent odor build-up with our built-in UPF sun protection and anti-microbial odor resistance
- One size fits most

ITEM #	COLOR
423G-11961	Gray
423HV-11961	Hi-Viz Lime

PLEASE CONTACT  FOR **YOUR** UP TO DATE PRICING

ISO 9001:2015 Registered Company

MILWAUKEE® 0821-20 M18™
High Performance Fan



- Air circulation over 50 ft reach and 13.5 mph air speed Reinforced design for impact, water, and dust resistance
- 360° head rotation to adapt to any job
- Stackable design for optimized storage and transportation
- 3 speed settings: The M18™ HD12.0 battery delivers 5 hr of runtime on high and 23 hr on low
- The M18™ XC5.0 battery delivers 2 hr of runtime on high and 9 hr on low
- Integrated AC plug For extended runtime
- Fits all M18™ batteries

ITEM # 0821-20-11961

MILWAUKEE® 0818-20 M18™ PACKOUT™
Brushless Fan



- Fastest 18V personal fan
- Brushless motor for increased life
- M18™ REDLITHIUM™ XC5.0 battery delivers over 3 hr on high and 6.5 hr at 75% speed
- Cooling air speed up to 20.5 mph and 850 cfm
- Integrated AC plug for extended runtime
- Variable speed dial for optimized airflow
- 300° head rotation to adapt to any job

ITEM # 0818-20-11961

DEWALT® DCE512B 20V MAX*
Cordless Jobsite Fan



- Powerful upgraded motor to provide up to 650 cfm
- IP 54 Rated
- Multiple hanging options - freestanding, hang hooks, and wall mount
- Wide-Range, Variable Speed Control
- Up to 4.5 hours runtime on MAX airspeed (using a DEWALT 5.0 Ah Battery)
- Part of the 20V MAX* system (battery sold separately)

ITEM # DCE512B-10254

KLEIN TOOLS® PJSFM1 Rechargeable
Personal Jobsite Fan



- Personal fan has multiple mounting options perfect for the job site
- Arm base rotates and cage spins 360° to aim airflow in any direction
- Base contains two powerful magnets and a hang hole for mounting
- Base forms a strong clamp for attaching to studs or conduit
- Features two long-lasting fan modes - low for 9 hr, high for 5 hr
- LED battery gauge indicates charge level
- Charges via USB-C, charging cable included
- Magnets, clamp, full rotation

ITEM # PJSFM1-11611

ALLEGRO® 9525-06
High Output Fan, 20 in



- Durable construction withstands tough working environments
- Superior air circulation in a variety of settings
- Perfect for industrial environments, large workshops, or any area where maintaining air temperature and quality is crucial
- Ideal for cooling, ventilating, and drying applications

ITEM # 9525-06-10086

TPI CORPORATION HD30-P Oscillating
Heavy Duty 3 Speed Pedestal Fan, 30 in




- Sweep in a wide 90° arc or lock in a fixed position
- Powerful 1/2 HP motor
- 3 aluminum blades produce a steady stream of air
- High visibility safety yellow stands out
- Fan head (2-speed) comes fully assembled
- Adjustable height of 63 in - 77 in
- Totally enclosed motor keeps out dust and moisture
- Powder-coated steel wire guards and pedestal
- 120V 10 ft long power cord
- CSA listed. OSHA compliant

ITEM # EQC25000

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

TPI CORPORATION CACU30P 3 Speed Pedestal Fan, 30 in



- Pull chain switch
- Pedestal mount - non-oscillating
- SJT type 3 conductor, 9 ft long cord
- Coated steel guards with retaining clips
- Steel hub/spider aluminum paddle blades
- Adjustable height of 43 in to 60 in
- Meets OSHA standards

ITEM # CACU30P-13251

TPI CORPORATION HDH36 1-Phase Heavy Duty Stationary Fan, 36 in



- Direct drive, totally enclosed air over (TEAO) motor generating up to 12,000 cfm
- Aluminum three-paddle blade system with steel hub and cast aluminum spider connections
- HDH36 model operates at single speed, contains interlocking front/rear grills and includes a heavy duty wall mounting bracket inside the carton
- Fully assembled ready for plug and play operation offered in non-oscillating (stationary) fan head

ITEM # HDH36-13251

TPI CORPORATION U18TE 1-Phase Standard Workstation Fan, 18 in



- Head rotates 360° vertically and horizontally
- Coated steel guards
- SJT type 3 conductor, 10 ft L cord
- Steel hub/spider aluminum paddle blades
- Sleeve bearing, totally enclosed and permanently lubricated motor
- 5/16 in diameter shaft
- #48 motor frame
- 2900 cfm/125 sq-ft area velocity profile
- Mount with one bolt or lag screw to walls, ceilings, work benches, machines or any surface

ITEM # EQC25017

TPI CORPORATION CACU30P-HD 3 Speed Pedestal Fan, 30 in



- Black semi-gloss powder coated finish
- Pull chain switch
- SJT type 3 conductor, 9 ft long cord
- Coated steel guards with retaining clips
- Steel hub/spider aluminum paddle blades
- Adjustable height of 43 in to 60 in
- Meets OSHA standards
- 1 Year limited warranty

ITEM # CACU30PHD-13251

TPI CORPORATION CF18 CF Series 1-Phase Workstation Floor Fan, 18 in



- Rotary switch
- Head tilts 360°
- Coated steel guards with retaining clips
- Open ventilated permanently lubricated motor
- 7 ft cord
- Sleeve bearing
- Floor mounting

ITEM # EQC25035

TPI CORPORATION CPB36D 1-Phase Direct Drive Portable Blower



- Rotary switch
- SJT type 3 conductor, 6 ft long cord
- Spiral wire front and rear guards
- Powder coated 20 gauge steel housing
- 5 in diameter rubber wheels
- Ball bearing
- Permanently lubricated motor
- Floor mounting
- 8500 cfm/300 sq-ft area velocity profile

ITEM # CPB36D-13251

PLEASE CONTACT  FOR **YOUR** UP TO DATE PRICING

ISO 9001:2015 Registered Company

PIP® 302-MVLY
2-Tone Safety Vest, Class 2



- Breathable polyester mesh
- 2 in two-tone tape for optimum visibility
- 2 lower internal pockets

ITEM #	SIZE
302-MVLY-S-12486	S
302-MVLY-M-12486	M
302-MVLY-L-12486	L
302-MVLY-XL-12486	XL
302-MVLY-2X-12486	2XL
302-MVLY-3X-12486	3XL

PIP® 302-MVZT-LY
2-Tone High Visibility Safety Vest, Class 2



- Breathable polyester mesh back
- 2 in two tone tape for optimum visibility
- Two external lower flap pockets
- Two external chest pockets
- Two internal lower pockets
- Two mic tabs

ITEM #	SIZE
302-MVZT-LY/M-12486	M
302-MVZT-LY/L-12486	L
302-MVZT-LY/XL-12486	XL
302-MVZT-LY/2X-12486	2XL

PIP® 353-1000 FALCON™
2-Piece Rain Suit Set, Class 3



- Lightweight polyester with waterproof PU coating and taped seams
- Zipper closure with storm flap
- Elastic waist pant with snap adjustable cuff
- Concealable hood for extra protection
- Two-piece value rain suit set

ITEM #	SIZE
353-1000LY-S/M-12486	S/M
353-1000LY-L/XL-12486	L/XL
353-1000LY-2X/3X-12486	2XL/3XL

PIP® 303-MVGZ4P-LY/XL
Value Mesh Safety Vest, Class 3



- Durable polyester solid front and breathable mesh back and sleeves
- 2 in two-tone tape for optimum visibility
- 2 mic tabs with reinforced stitching
- 2 external lower flap pockets
- 2 internal lower pockets
- 1 chest radio pocket
- 1 internal pen pocket
- 1 chest pocket with 4 pen pockets in front

ITEM #	SIZE
303-0500-OR/S-12486	S
303-0500-OR/M-12486	M
303-0500-OR/L-12486	L
303-0500-OR/XL-12486	XL
303-0500-OR/2X-12486	2XL
303-0500-OR/3X-12486	3XL

PIP® 302-MVZT-OR
2-Tone High Visibility Safety Vest, Class 2



- Breathable polyester mesh back
- 2 in two tone tape for optimum visibility
- Two external lower flap pockets
- Two external chest pockets
- Two internal lower pockets
- Two mic tabs

ITEM #	SIZE
302-MVZT-OR/M-12486	M
302-MVZT-OR/L-12486	L
302-MVZT-OR/XL-12486	XL

PIP® 201-360 BASE35™
3-Piece Premium Rain Suit



- Detachable hood with drawstring
- Storm flap front, two flapped pockets and underarm vents
- Adjustable snaps at wrists and ankles
- Bib overalls for full moisture protection
- Corduroy collar for comfort
- Cape vented back

ITEM #	SIZE
PRO10048	S
PRO10049	M
PRO10050	L
PRO10060	XL
PRO10070	2XL
PRO10075	3XL
PRO10076	4XL

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

MILWAUKEE® 48-73-5131 Mesh Safety Vest, Class 3



- Quick internal size adjustment, better fit
- Clear ID holder and hook and loop opening and closure
- Reinforced pen pockets with 600D tear-resistant material
- 1 internal pocket
- Hang loop for easy storage
- Secure zipper closure
- Fall protection pass through
- Durable dual mic tabs
- Class 3 sleeves for added visibility

ITEM # 48-73-5131-11961

MILWAUKEE® Performance Safety Vest, Class 2



- Quick internal size adjustment, better fit
- Clear ID holder and Hook and Loop opening and closure
- Fall protection pass through
- Reinforced pen pockets with 600D tear-resistant material
- Durable dual mic tabs
- Hang loop for easy storage
- Carry more
- Silver stripe

ITEM #	SIZE
48-73-5031-11961	S/M
48-73-5032-11961	L/XL

MILWAUKEE® 48-73-50 Performance Safety Vest, Class 2



- Reinforced front pockets with 600D tear-resistant material
- Comfortable padded collar
- Secure zipper closure
- Clear ID holder and hook and loop opening and closure
- Quick internal size adjustment, better fit
- Rear tablet pocket
- Fall protection pass through
- Silver stripe

ITEM #	SIZE/COLOR
48-73-5041-11961	S/M, Hi-Viz Yellow
48-73-5043-11961	2XL/3XL, Hi-Viz Yellow
48-73-5044-11961	4XL/5XL, Hi-Viz Yellow
48-73-5051-11961	S/M, Hi-Viz Orange
48-73-5053-11961	2XL/3XL, Hi-Viz Orange

RADIANS® SV225-2ZGM Fire-Resistant Self-Extinguishing Safety Vest, Class 2



- Self-extinguishing treated 100% polyester mesh
- 2 in silver tape reflective material
- 1 horizontal stripe
- Light weight, highly visible polyester mesh

ITEM #	SIZE
CON22104	M
CON22105	L
CON22106	XL
CON22107	2XL
CON22108	3XL
CON22109	4XL

OCCUNOMIX OK-1ILDOTM 2-Tone Premium Safety Vest, Class 2



- Quick internal size adjustment, better fit
- Clear ID holder and Hook and Loop opening and closure
- Fall protection pass through
- Reinforced pen pockets with 600D tear-resistant material
- Durable dual mic tabs
- Hang loop for easy storage
- Silver stripe

ITEM #	SIZE
CON22000	L
CON22005	XL
CON22010	2XL
CON22015	3XL
CON22020	4XL

DICKE V1000 Break-Away Safety Vest, Class 2



- Solid polyester material with a five point tear away design, one size fits most adjustability, triple trim reflective stripes, expandable radio pocket, pencil pocket, mic clip and hook and loop closure
- Hook and loop strips on the back of the vest allow reflective message patches to be attached
- The optional V-Patch is a 9 x 6 in silver reflective patch which attaches to the back of vest using hook and loop strips
- The V-Patch may be imprinted with many standard messages

ITEM # CON71000

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

ISO 9001:2015 Registered Company

MILWAUKEE® Type II Adjustable Safety Helmets

- Protects side and top impact
- Adapt to your jobsite - Bolt™ compatible
- Comfortable padded suspension
- Comfortable fit - 5 adjustable buckles chin strap
- Adjustable swinging ratchet - better comfort
- Anti-microbial and moisture wicking sweat band and helmet liner
- Machine washable sweat band, helmet liner and chin strap
- Includes a Bolt™ headlamp mount that works with most headlamps
- Includes a Bolt™ marker clip for easy access to pens and markers

BRIMLESS HELMETS

ITEM #	ANSI CLASS	COLOR
[A] 48-73-1301-11961	Class E	White
[B] 48-73-1300-11961	Class C	White
[C] 48-73-1308-11961	Class C	Red



BRIMMED HELMETS

ITEM #	ANSI CLASS	COLOR
[D] 48-73-1320-11961	Class C	White
[E] 48-73-1324-11961	Class C	Red
[F] 48-73-1328-11961	Class C	Blue



KASK ZENITH X2 AIR Class C, Type II Hi-Viz Safety Helmet



- 8 air intakes that enhance breathability and comfort
- Low density inner shell component optimized for top impacts
- High density inner shell protection for all-around impacts
- Padding system that easily clicks in and out
- Size adjustment system that adapts to head shapes to create a personalized, secure fit
- Adjustable, eco-leather chinstrap with EN color-coded fastener
- Lime color clasp indicates that the helmet meets EN 12492 standard
- Designed with integrated slots ready for eye and face protection
- Hi-Viz color shell, luminescent clips and reflective decals

ITEM #	COLOR
WHE00100-201-17085	Hi-Viz White
WHE00100-221-17085	Hi-Viz Yellow

PIP® 280-HP1491RM-01 Type II Climbing Helmet



- Ultra-lightweight shell made with polycarbonate / ABS material provides superior protection
- MIPS® (Multi-Directional Impact Protection system) adds a low frictional layer designed to reduce rotational motion transferred to the head from angled impacts
- 4-point quick release suspension with dual position height adjustment ensures a proper fit
- Rugged non-slip adjustable micro-metric wheel ratchet ensures proper suspension performance and effortless fit for a wide variety of head sizes
- Universal accessory slots accommodate eye, face and hearing protection

ITEM # 280-HP1491RM-01-12486

PETZL® A10BWA VERTEX BEST Type I, Class E Safety Helmet



- Six-point textile suspension adapts perfectly to the shape of the head
- Centerfit feature allows perfect centering of the helmet on the head
- Flip & Fit system allows the headband to be positioned in a low position, guaranteeing that the helmet fits securely on the head
- Dual chinstrap allows the worker to adjust chinstrap strength
- Shock absorption achieved through deformation of the outer shell
- Unventilated outer shell protects against electrical hazards, molten metal splash and flames

ITEM # A10BWA-16646

KLEIN® Adjustable Type I Safety Helmet



- Compact, lightweight safety helmet design for at-height and confined space applications
- Safety hard hat has patent-pending accessory mounts on front and back ensure Klein® Tools headlamps attach securely and precisely
- Breathable, padded sweat wicking sweatband and top pad
- Detachable four-point padded chin strap for comfortable secure fit
- Universal accessory slots on both sides for attaching hearing protection, face shield and more
- Adjustable vents can be opened or closed to control air circulation (VENTED MODEL ONLY)

ITEM #	DESCRIPTION
60145-11611	Class E (Non-Vented)
60149-11611	Class C (Vented)

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

KLEIN® Type I Adjustable Full Brim Hard Hat

- Compact, lightweight safety helmet design for at-height and confined space applications
- Safety hard hat has patent-pending accessory mounts on front and back ensure Klein® Tools headlamps attach securely and precisely
- Breathable, padded sweat wicking sweatband and top pad
- Detachable four-point padded chin strap for secure fit
- Universal accessory slots on both sides for attaching hearing protection, face shield and more
- Adjustable vents can be opened or closed to control air circulation (**VENTED MODEL ONLY**)
- Items C&D include KLEIN® Rechargeable Headlamp

[A]



[B]



[C]



[D]



ITEM #	DESCRIPTION
[A] 60249-11611	Class E (Non-Vented)
[B] 60262-11611	Class C (Vented)
[C] 60406RL-11611	Class E (Non-Vented)
[D] 60407RL-11611	Class C (Vented)

KLEIN® SPARTAN Type I, Class C Adjustable Full Brim Hard Hat

- True carbon fiber multi-layered construction for great strength to weight ratio
 - Klein® accessory mounts on front and back allow quick and secure attachment of accessories
 - This model includes Klein® rechargeable 300 lumen magnetic headlamp with charging cable
 - Large adjustable vents can be opened and closed to manage air circulation
 - 6-point suspension for stability and balance
 - Suspension system features a flexible open frame design to provide optimal fit and improved air circulation
 - Easy, one-handed adjustment with large knob ratchet mechanism even with gloves on
 - Front and back mounts; universal side slots
- Lamp Specs: LED bulb type, lumens 300/215/100
Lamp Runtime: 14 hr Low/9 hr High/4 hr Boost

ITEM # 280-HP1491RM-01-12486



ERB® OMEGA II® Type I Hard Hat

- Meets ANSI/ISEA Z89.1, Type 1 Class C, E, and G
- 6-Point woven nylon suspension with ratchet adjustment
- Moisture-wicking brow pad is removable, washable and replaceable
- Accessory slots accommodate a variety of eye, face, and hearing products
- Accommodates a chin strap
- Goggle retaining slots on suspension
- Both Mega Ratchet and Slide-Lock Suspensions adjust to head sizes - 6.5 - 8

ITEM # COLOR

SAF27080	White
SAF27082	Black
SAF27085	Yellow
SAF27090	Red
SAF27095	Gray
SAF27100	Green
SAF27105	Blue
SAF27107	Dk Blue
SAF27110	Orange
SAF27111	Hi-Viz Orange
SAF27062	Hi-Viz Lime



KLEIN® KARBN™ Adjustable Full Brim Hard Hat

- Hard Hat has stylish, modern, durable hydro-dipped polymer film Karbn™ pattern on rugged PC/ABS composite
- Padded sweatband and top pad improve comfort with advanced evaporative technology - simply wet and shake, for hours of cooling
- Easy, one handed adjustment with large knob ratchet mechanism even with gloves on
- Universal accessory slots on both sides for attaching hearing protection, face shield and more
- Adjustable vents can be opened or closed to control air circulation (**VENTED MODEL ONLY**)

ITEM #	DESCRIPTION
60345-11611	Class E (Non-Vented)
60626-11611	Class C (Vented)



FIBRE-METAL® BY HONEYWELL E2 Type I Class C Front Brim Hard Hat

- Exclusive smooth crown design contains a technically advanced suspension with eight load bearing points to stabilize and balance the hard hat during everyday wear
- Technically advanced SuperEight® suspension balances and spreads weight over a wide area for added comfort and impact protection
- Thermoplastic cap style hard hat with Fibre-Metal® smooth crown design
- Available with the famous Fibre-Metal® non-slip/non-strip ratchet, SwingStrap™ or TabLok™ headgear

ITEM #	COLOR
SAF10905	Orange
SAF10910	Blue

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

ISO 9001:2015 Registered Company

MCR SAFETY BEARKAT® MAGNIFIER RX™ Bi-Focal Single Lens Safety Glasses



- 1.5, 2.0, 2.5 diopter available
- Exclusive Duramass® scratch resistant coating
- Lightweight frames
- Non-Slip soft temple material
- Rugged polycarbonate lens filters 99.9% of harmful UV Rays
- Single lens design with integral side shields for unobstructed view

ITEM #	LENS	DIOPTR
SAF29002	Clear	+1.5
SAF29003	Clear	+2.0
SAF29004	Clear	+2.5
SAF29085	Gray	+1.5
SAF29086	Gray	+2
SAF29087	Gray	+2.5

JACKSON SAFETY® Safety Glasses



- Ultra strong and flexible provide unmatched durability
- Soft touch temples and flexible nose piece are slip resistant and comfortable for hours
- Lightweight frame built for all day use

ITEM #	LENS
50001-12814	Clear
50002-12814	Yellow
50004-12814	Indoor/Outdoor
500028-12814	Smoke

MCR SAFETY ST1 STORM® PLUS Single Lens Safety Glasses



- Single wraparound dual focal point lens with integral side shields
- Ratchet action temples combined with non-slip rubber head grips create a customized fit for virtually any head size
- 5-position ratchet action bayonet temples
- Scratch-resistant lens

ITEM #	LENS
SAF29035	Clear
SAF29060	Gray

RADIANS® MIRAGE™ Lightweight Safety Eyewear



- Sleek design offers a comfortable fit
- Optically correct, distortion-free lenses
- Ergonomical dual wraparound 9-3/4 base lens provides near perfect seal
- Protective polycarbonate lens provides impact-resistance
- Weighs less than 1 oz
- Provides 99.9% UVA/UVB protection

ITEM #	LENS
SAF17300	Clear
SAF17302	Smoke
SAF17304	Indoor/Outdoor

PYRAMEX® ZTEK® Lightweight Safety Eyewear



- Premier comfort and seal with face cushioning and flexible nasal pads
- Integrated nosepiece
- Soft, non-slip rubber temple tips provide non-binding fit
- Economical wraparound single lens provides full panoramic view
- Scratch-resistant polycarbonate lens provides 99% UVA/B/C protection

ITEM #	LENS
SAF70305	Clear
SAF70307	Gray
SAF70330	Black

RADIANS® CUATRO™ CT1 4-In-1 Protective Goggles



- Removable head strap provides an adjustable safety goggle-like fit.
- Safety eye wear temples easily snap-in.
- Anti-Fog polycarbonate protective lens provides impact resistance and fog control.
- Rubber nose piece for all day comfort.
- Meets ANSI Z87.1+ standards for protection from rain and sun

ITEM #	LENS
SAF17340	Clear
SAF17343	Smoke

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

MOLDEX® 6945 GLIDE® Earplugs, 30 dB NR



- Unique multi-curved stem rotates for a custom fit
- Large handle on curved stem for easy insertion and removal
- Large soft foam pod for a comfortable, snug seal
- Cord can be attached at any desired length
- Twist in design
- 100 count box

ITEM # SAF16245

MOLDEX® 6400 ROCKETS® Earplugs, 27 dB NR



- Air bubble in tip provides cushioned comfort
- Earplugs can be washed and reused
- Metal detectable version; plug and cord are independently detectable for added safety
- Includes Pocket-Pak® carrying case
- 100 count box

ITEM # 6404-11985

MOLDEX® 6645 SPARKPLUGS® PLUGSTATION®, 33 dB NR



- Soft, low pressure foam for comfort and fit
- Tapered shape for easy insertion
- Non-irritating surface
- 500 count



[Optional Mounting Bracket]

ITEM #	DESCRIPTION
SAF60055	500 ct Ear Plugs
SAF16290	Mounting Bracket

PIP® EZ-TWIST™ Push-In Earplugs, 30 dB NR



- Just insert and twist, the fastest fitting foam ear plugs
- Shape conforms to most ear canals
- Softest most comfortable cylinder shaped ear plug
- Uncorded and disposable
- 200 count box

ITEM # 267-HPF610-12486

PIP® MEGA BULLET™ Earplugs, 32 dB NR



- Consistent cellular structure for optimal expansion recovery
- Smooth closed cell outer layer that prevents debris build-up
- Soft and comfortable Powersoft™ foam supports all day comfort
- 100 count box

ITEM # 267-HPF210C-12486

MILWAUKEE® 48-73-3006 Uncorded Earplug, 32 dB NR



- Expands quickly for easy use
- Tapered shape for a better fit
- Noise reduction rating 32 dB
- Resealable packaging for secure storage
- Expands to fit a variety of ear canal sizes
- Easy insertion and removal
- 100 count box

ITEM # 48-73-3006-11961


3M™ 7000002320 E-A-R™ Earplugs, 25 dB NR



- Premolded, triple flange ear plugs for all ear sizes
- Soft polymer is washable and reusable
- Poly bag keeps each pair oaccessible for reuse
- Test compatible with 3M™ E-A-Rfit™ validation system
- Rubber vinyl plug
- 100 count box

ITEM # SAF20670

3M™ 21011 E-A-R™ Earplugs, 25 dB NR



- Push-to-Fit earplugs feature advanced “no-roll”, slow recovery foam tips
- Unique grips allow easy fitting and help keep earplug tips clean
- Uncorded and reusable
- Assorted color paddle grips
- 100 count box

ITEM # SAF20665

KLEIN® 6050350 Corded Earplugs, 25 db NR



- Soft, pre-molded triple flanged design conforms to ear canal
- Easy to clean TPE tips designed for multiple wearings
- 24 in flexible cord
- Individually wrapped in convenient dispenser box
- 50 count box

ITEM # 6050350-11611

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

SUPERIOR GLOVE® S13TAFGPU TENACTIV™ Cut Resistant Work Gloves



- TenActiv™ engineered yarn provides 360° cut protection with ANSI A5 cut resistance
- Polyurethane palm coating provides steady dry grip and tactile feel
- Low linting to prevent shedding of materials and avoid contamination
- Cleaning instructions: wash cold water and tumble dry in low heat; safe to use bleach or detergent

AB: 5 | CT: A5 | PN: 5

ITEM #	SIZE
S13TAFGPU-8-13048	M
S13TAFGPU-9-13048	L
S13TAFGPU-10-13048	XL
S13TAFGPU-11-13048	2XL

SUPERIOR GLOVE® 378GOBTKL ENDURA® Cold Rated Cut Resistant Work Gloves



- Arc flash-rated level 4 with an Arc Thermal Performance Value (ATPV) of 49 cal / cm²
- Thinsulate™ lining keeps hands warm in temperatures down to 5°F (-15°C)
- ParaActiv™ engineered yarn liner for 360° cut protection with ANSI A5 cut resistance
- Provides ANSI 2 heat resistance
- Treated to resist liquids
- Unpadded palms for an enhanced sense of feel and better grip

AB: 4 | CT: A5 | PN: 4 | HT: 2 | AF: 4

ITEM #	SIZE
378GOBTKLM-13048	M
378GOBTKLL-13048	L
378GOBTKLX-13048	XL
378GOBTKL2X-13048	2XL

SUPERIOR GLOVE® 378GKGE ENDURA® Arc Flash Driver Gloves



- An economic choice for protection against arc flash and cut hazards
- Arc flash-rated level 3 with an Arc Thermal Performance Value (ATPV) of 36 cal / cm²
- ParaActiv™ engineered yarn liner for 360° cut protection with ANSI A4 cut resistance

AB: 4 | CT: A4 | PN: 4 | HT: 4 | AF: 3

ITEM #	SIZE
PRO72280	L
PRO72285	XL
PRO72290	2XL

SUPERIOR GLOVE® S21TXUFN TENACTIV™ Cut Resistant Work Gloves



- Ultra-thin construction for comfort and outstanding hand dexterity
- TenActiv™ engineered yarn provides 360° cut protection with extreme ANSI A9 cut resistance
- Ultra-thin nitrile palm coating for steady wet grip and bare hand feel
- FDA compliant for safe food handling
- Touchscreen compatible to seamlessly move between tasks

AB: 3 | CT: A9 | PN: 3

ITEM #	SIZE
S21TXUFN-7-13048	S
S21TXUFN-8-13048	M
S21TXUFN-9-13048	L
S21TXUFN-10-13048	XL
S21TXUFN-11-13048	2XL

SUPERIOR GLOVE® 378GOBKL ENDURA® General Purpose Driver Gloves



- Arc flash-rated level 4 with an Arc Thermal Performance Value (ATPV) of 41 cal / cm²
- ParaActiv™ engineered yarn liner for 360° cut protection with ANSI A4 cut resistance
- Provides ANSI 3 heat resistance
- Treated to resist water and liquids
- Unpadded palms for an enhanced sense of feel and better grip

AB: 4 | CT: A4 | PN: 4 | HT: 3 | AF: 4

ITEM #	SIZE
378GOBKL M-13048	M
378GOBKL L-13048	L
378GOBKL XL-13048	XL
378GOBKL 2X-13048	2XL

SUPERIOR GLOVE® 378GTXVBG ENDURA® Hi-Viz Gauntlet Gloves



- TenActiv™ engineered yarn liner provides 360° cut protection with ANSI A5 cut resistance
- Back-of-hand ANSI 2 impact resistance protects against knocks and bumps
- Gauntlet cuffs with retro-reflective stripes provide added wrist safety and visibility
- Treated to resist water and liquids

CT: A5 | PN: 4 | IM: 2

ITEM #	SIZE
378GTXVBGM-13048	M
378GTXVBGL-13048	L
378GTXVBGXL-13048	XL
378GTXVBG2XL-13048	2XL

 PLEASE CONTACT  FOR **YOUR** UP TO DATE PRICING

 YOUR **#1 SOURCE** FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

GLOVE RATINGS Abrasion: AB | Cut: CT | Tear: TR | Impact: IM | Puncture: PN | Heat: HT | Arc Flash: AF

PIP® 16-564 G-TEK® POLYKOR®
Industrial Grade Seamless Work Gloves


- 13 ga PolyKor® blended shell provides excellent dexterity and tactile sensitivity
- Seamless construction offers increased comfort and breathability
- Knit wrist prevents debris from entering glove
- 100% silicone free
- Washable, resistant to chemicals, water and UV light

AB: 4 | CT: A4 | PN: 2 | TR: 4

ITEM #	SIZE
16-564/S-12486	S
16-564/M-12486	M
16-564/L-12486	L
16-564/XL-12486	XL
16-564/XXL-12486	2XL

PIP® 16-541 G-TEK® PARADOX™ POLYKOR®
Seamless Knit Work Gloves


- 21 ga PolyKor® blended shell provides excellent dexterity and tactile sensitivity
- Seamless construction offers increased comfort and breathability
- Reinforced thumb crotch
- Touchscreen compatible
- Knit wrist prevents debris from entering glove

AB: 3 | CT: A4 | TR: 3 | PN: 2

ITEM #	SIZE
16-541/S-12486	S
16-541/M-12486	M
16-541/L-12486	L
16-541/XL-12486	XL
16-541/XXL-12486	2XL

PIP® 34-873 MAXIFLEX™ CUT™
Seamless Knit Work Gloves


- Reinforcement between the thumb and forefinger, improves cut resistance and extends glove life
- Micro-foam nitrile coating offers 360° breathability
- Form, fit and feel mimics the "hand at rest" WHICH REDUCES hand fatigue
- Touchscreen compatible to allow the user to operate a touch screen phone or device

AB: 3 | CT: A2 | PN: 1 | TR: 3

ITEM #	SIZE
PRO37031	S
PRO37032	M
PRO37033	L
PRO37034	XL
PRO37035	2XL

IRONCLAD® ILD-IMPC5 360° CUT
Leather Impact Gloves


- Premium Goatskin Grain Leather Palm
- Goatskin Grain Leather Back of Hand
- 360° Cut A3 HPPE Blend Liner
- ANSI level 2 TPR Impact Protection
- DuPont™ Kevlar® FR Thread & Stitching

AB: 4 | CT: A4 | PN: 3 | HT: 3 | IM: 2

ITEM #	SIZE
ILD-IMPC5-03-11408	M
ILD-IMPC5-04-11408	L
ILD-IMPC5-05-11408	XL
ILD-IMPC5-06-11408	2XL
ILD-IMPC5-07-11408	3XL

MCR SAFETY® 36136HP
Premium Driver Gloves


- HyperMax® HPPE lined to allow for great cut protection
- TPR back for added impact protection
- Keystone thumb provides flexibility
- Slip-on open cuff with elastic closure
- Select grade goatskin leather palm

AB: 3 | CT: A5 | PN: 3 | IM: 1

ITEM #	SIZE
36136HPS-11884	S
36136HPS-11884	M
PRO49135	L
PRO49140	XL
36136HPS-11884	2XL

MCR SAFETY® 92748HV CUTPRO® HYPERMAX™
Cut Resistant Work Gloves


- Comfortable 18 gauge shell
- Cut resistant work glove
- Excellent dexterity
- Hi Visibility lime shell
- Nitrile coated palm and fingertips
- Nitrile dots improve gripping power
- Reinforced thumb crotch
- Touchscreen friendly

AB: 5 | CT: A4 | PN: 3

ITEM #	SIZE
92748HVS-11884	S
92748HVM-11884	M
92748HVL-11884	L
92748HVXL-11884	XL
92748HVXXL-11884	2XL

 PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

3M™ 6000 SERIES Half Face Mask, Bayonet Connection



- Series combines comfort and convenience
- Comfortable soft, lightweight facepiece with easy-to-adjust head straps
- Can be disassembled, cleaned and reused
- Bayonet connection
- 4-point harness type



ITEM #	SIZE
SAF16010	Small
SAF16015	Large

3M™ 051135-89424 Reusable Ultimate FX Face Respirator



- Recommended applications: assembly, chemical, HVAC operations, grinding, laboratory, machining, masonry, painting, sanding, sawing, and more
- Silicone face seal helps provide comfort and durability
- Use with 3M™ 6000 series gas/vapor cartridges
- Head cradle helps reduce pressure points and hair pulling

ITEM # SAF15330

3M™ 46457 N95 Particulate Respirator, 20 Ct



- N95 filter class
- Dual strap suspension
- Carbon filter media reduces exposure to ozone/nuisance level of organic vapors
- Foam cushioning around the nose offers additional comfort

ITEM # SAF16000

3M™ 54285 Cup Style Disposable Respirator, 10 Ct



- P95 filter class
- Dual strap suspension
- NIOSH approved for at least 95% filtration efficiency against non-oil based particles
- 3M™ Cool Flow™ exhalation valve

ITEM # SAF16023

3M™ 66192 Disposable Particulate Respirator, 10 Ct



- N95 filter class
- Adjustable 2-strap suspension
- Carbon filter media reduces exposure to ozone/nuisance level of organic vapors
- 3M™ Cool Flow™ valve keeps wearer cool

ITEM # SAF16036

ELIPSE® P100 Respirator and Dust Mask



- Protection against odor, dust, fumes, oil and micro-organisms
- TPE body with HESPA air filter
- Pore size (µm): 0.3
- Lightweight body and filter
- Retention range: 99.97% (minimum efficiency)
- Temperature: 23°F to 131°F
- NIOSH P100

ITEM #	SIZE
SAF43010	S/M
SAF43011	M/L

ELIPSE® SPR321 HESPA® P100 Filter Kit



- For use on all Elipse® P100 respirators
- Protection against odor, dust, fumes, oil and micro-organisms
- NIOSH P100
- Pore size (µm): 0.3

ITEM # SAF43000

ELIPSE® SPR551 INTEGRA® P100 Nuisance Odor Mask



- Full face protection against odor, dust, fumes, oil and micro-organisms
- TPE body with HESPA air filter
- Pore size (µm): 0.3
- Retention range: 99.97% (minimum efficiency)
- Temperature: 23°F to 131°F
- NIOSH P100

ITEM #	SIZE
SPR551-16574	S/M
SPR552-16574	M/L

3M™ 6000 SERIES Half Face Mask, Bayonet Connection



- Converts to PAPR or supplied air respirator
- Lower headstraps stretch and move without pulling on the facepiece
- Designed to provide maximum comfort, fit and performance
- Upper headstraps have minimum give to provide secure support
- Various thickness in sealing area for improved comfort, fit and support

ITEM #	SIZE
SAF69701	Small
SAF69700	Medium
SAF10897	Large

MOLDEX® 9000 SERIES Full Face Respirator




- Over molded lens offers greater field of vision
- Lighter weight for superior all day comfort
- Fewer parts means less cost and easy maintenance
- Stand-away head harness for easy donning and doffing
- Lens stays away from flat surface when laid down to avoid scratching
- Tear away lens protector included

ITEM #	SIZE
SAF16195	Medium
SAF16200	Large

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

**MILWAUKEE®
Tool Lanyards**

TOOL LANYARDS

ITEM #	CAPACITY	DESCRIPTION
[A] 48-22-8810-11961	10 lb	Locking Carabiner
[B] 48-22-8815-11961	15 lb	Locking Carabiner
[C] 48-22-8850-11961	35 lb	Locking Carabiner
[D] 48-22-8835-11961	5 lb	Wrist, Double Locking Carabiner
[E] 48-22-8825-11961	5 lb	Retractable, Quick Connect

**ERGODYNE® SQUIDS®
Tool Lanyards**


ITEM #	CAPACITY	DESCRIPTION
[A] TAC90010	10 lb	35 in - 42 in Single Action Carabiner
[B] TAC90016	10 lb	42 in - 54 in Single Action Carabiner
[C] SAF80530	10 lb	38 in - 70 in Dual Carabiner

**ERGODYNE® 19159 SQUIDS® 3158
Coiled Hard Hat Lanyard**


- Low-profile durable plastic coil to withstand even the toughest conditions
- Easily attaches to hard hats and other small hand tools for safekeeping
- Coiled lanyard design prevents snag and tangle hazards
- Quick connect clamp attaches securely to fabric
- Tethering loop to securely connect to an anchor or tool attachment
- Length: 12 in, extended length 48 in
- Maximum safe working capacity of 2 lb

ITEM # SAF80525

VAN BEEST

GP
Green Pin®

G-4163H Catch Shackle BN

For a long time, the lifting industry has been looking for a solution to prevent the dropping of equipment and components from heights. Dropped objects are a well-known safety hazard in the industry and have led to numerous accidents. Green Pin® now offers a unique solution to this problem: The Green Pin® Catch shackle BN prevents the accidental dropping of shackle bolts, nuts, cotter pins and even complete shackles, thereby preventing injuries or deaths.

- Material: bow and pin high tensile steel, Grade 6 quenched and tempered
- Safety factor: MBL equals 6 x WLL
- Finish: hot dipped galvanized
- Temperature Range: -40°F to +392°F
- Suitable for both one-leg and multi-leg systems
- Available in a range with a WLL from 2 ton to 9.5 ton


**SCAN QR FOR
FULL SPECS**

 PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

ISO 9001:2015 Registered Company

MELTBLOWN OSSK-TRK Spill Kit, Oil Only Truck Bag



- Truck spill kits provide quick emergency response to small to medium spills of oil only
- Choose from various size containers and contents, depending on your particular applications
- Absorbs up to 8.7 gallons per kit
- Perforated, so you use only what you need
- Packaged neatly in a vinyl zipper bag

KIT INCLUDES:

- (20) 15 in x 18 in pads
- (3) 3 in x 48 in socks
- (1) pair of goggles
- (1) pair of gloves
- (1) disposal bag with tie

ITEM # OSSK-TRK-HANES

MELTBLOWN Oil-Only Absorbent Sock and Net Boom, 10 ft



- Booms are linked together, forming a barrier along the perimeter of a marine-based oil spill
- They float on open water and contain and absorb hydrocarbon-based fluids
- Pads, rolls, and sweeps are deployed afterward to absorb the interior portion of the spill
- Spunbond outer sleeve, contained in polypropylene net for added strength, filled with Meltblown polypropylene chopped material
- 14 Absorbency factor

ITEM #	SIZE	ABSORPTION
B510SN-16546	5 in dia	34.14 gal
B810SN-16546	8 in dia	62.31 gal

MELTBLOWN GPSK-BKT MRO Universal Bucket Spill Kit



- Universal spill kits are placed in areas where oil, glycols, cutting fluids, or any other non-aggressive fluids are stored or used
- Choose from various size containers and contents, depending on your particular applications
- 10 gal/CS absorption

KIT INCLUDES:

- (1) Reusable bucket - 14 in dia x 18 in H with lid
- (10) 15 in x 18 in pads
- (3) 3 in x 4 ft socks
- (20) Disposal bags
- (1) Pair nitrile gloves
- (1) Instruction sheet

ITEM # SAF25015

MELTBLOWN GPSK-TRK General Purpose Truck Bag Spill Kit




- Universal spill kits are placed in areas where oil, glycols, cutting fluids, or any other non-aggressive fluids are stored or used
- Choose from various size containers and contents, depending on your particular applications
- Truck spill kits provide quick emergency response to small to medium spills of oil only
- Absorbs up to 8.7 gallons per kit
- Perforated, so you use only what you need
- Packaged neatly in a vinyl zipper bag

KIT INCLUDES:

- (20) 15 in x 18 in pads
- (3) 3 in x 48 in socks
- (1) pair of goggles
- (1) pair of gloves
- (1) disposal bag with tie

ITEM # SAF25000

MELTBLOWN Dimpled Heavyweight Absorbent Roll



- Gray dimpled Meltblown polypropylene sorbents are single-layer, economical sorbents
- They absorb most non-aggressive fluids, which includes oil (hydrocarbon-based fluids), water, glycols, etc
- We pass this media through our thermal bonder, which ties down loose fibers
- Dimpled sorbents are also perforated, which promotes waste minimization
- Dimpled for fast wicking
- Highly absorbent

ITEM #	SIZE	ABSORPTION	DESCRIPTION
GDML150S-16546	150 in L x 15 in W	41.26 gal/bale	Mediumweight
SAF25035	150 in L x 30 in W	50.5 gal/bale	Heavyweight

MELTBLOWN GPSK-30 Overpack Spill Kit, 30 gal



- Tough, secure screw top spill kit is reusable and ideal for small to medium spills
- A kit for everyday spills or absorb any type of spill fast with quality MBT sorbent
- Spill kit complies with DOT CFR 173.3(c)
- Absorbs up to 36 gallons per kit

KIT INCLUDES:

- (1) Reusable bucket - 21 in dia x 28.5 in H
- (1) (20) 15 in x 18 in pads
- (3) 3 in x 48 in socks
- (1) Pair of goggles
- (1) Pair of gloves
- (3) Disposal bags
- (1) Emergency Response Guidebook

ITEM # 0920-20-11961

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR **#1 SOURCE** FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

MILWAUKEE® 0910-20 M18 FUEL™ Wet/Dry Vacuum, 6 gal



- POWERSTATE™ brushless motor and optimized components outperforms 3.5 peak hp wet/dry vacuums
- Reinforced casters and tread design deliver up to 8X wheel life
- Crush and twist resistant hose construction deliver up to 2X hose life
- Interchange motor heads, tanks, and carts for varying performance, holding capacity, and mobility with the easy access foot pedal
- Max power mode delivers up to 31 min/1,000 sq-ft of debris clean up per charge (M18™ HD12.0 battery)
- Max run-time mode delivers 47 min 1,300 sq-ft debris clean up per charge (M18™ HD12.0 battery)

ITEM # 0910-20-11961

Milwaukee® 0920-20 M18 FUEL™ Dual-Battery Wet/Dry Vacuum, 9 gal



- POWERSTATE™ brushless motor and optimized components outperforms 4.25 peak hp wet/dry vacuums
- Reinforced casters and tread design deliver up to 8X wheel life
- Crush and twist resistant hose construction deliver up to 2X hose life
- Interchange motor heads, tanks, and carts for varying performance, holding capacity, and mobility with the easy access foot pedal
- Requires (2) M18™ REDLITHIUM™ batteries to operate
- Max power mode delivers up to 34 min/1,400 sq-ft of debris clean up per charge
- Max run-time mode delivers 49 min/1,600 sq-ft debris clean up per charge

ITEM # 0920-20-11961

DEWALT® DCV581H INDUSTRIAL Wet/Dry Vacuum, 2 gal



- Vacuum produces 52 in of water lift and 140 cfm of powerful suction, perfect for emptying a toilet or a clogged pipe
- HEPA-rated reusable wet/dry filter traps dust with 99.97% efficiency
- Cordless or corded operation allows it to be powered by an 18 or 20V MAX* battery or plugged into an AC outlet for added versatility (battery and charger sold separately)
- 1-1/4 in dia, 5 ft hose is crush-resistant, providing durability, flexibility and ease of use
- Built-in storage allows you to organize a variety of cleaning accessories
- Blower port allows you to reverse airflow

ITEM # TEL30252

DEWALT® DWV010 Wet/Dry Dust Extractor Vacuum, 8 gal



- Automatic filter clean pulses every 30 sec for continuous operations without stopping to clean filter
- Power tool actuation controls the on off operations of the vacuum with a power tool
- Meets the EPA lead related renovations, repair and painting (RRP) rule for HEPA vacuum only when filters are DWV9330 used
- Universal hose connector with swivel capability
- Heavy-duty casters provide jobsite durability
- Anti-static hose: 15 ft
- Powerful 15 A motor delivers 150 cfm of airflow for maximum suction
- 15 ft anti-static cord

ITEM # TEL10200

RIDGID® 50328 PROPACK® Specialty Wet/Dry Vacuum, 10 gal



- Powerful 5 peak hp high performance wet and dry vacuum
- Durable, long-lasting motor backs the industry's best warranty
- Qwik Lock® filter fastening system - install or remove your filter quickly
- Telescoping handle and large rear wheels provide easy transportability
- Accessory storage compartments keep all accessories organized
- Rugged polypropylene drum construction
- Drum cleans up 10 gal of large spills and messes at work-sites and busy shops
- Ultra-flexible locking 1-7/8 in the hose expands from 2 to 7 ft
- Large drain located to lowest point of drum

ITEM # 50328-12632

RIDGID® 62703 NXT Wet/Dry Vacuum Vacuum, 12 gal



- Powerful 5.0 peak hp high performance wet and dry vacuum
- Durable, long-lasting motor backs the industry's best warranty
- Telescoping handle and large rear wheels
- Accessory storage compartments keep hose, wands, power cord and all accessories organized and close by for quick access
- Rugged polypropylene drum construction to meet the high demands found at work sites
- Drum cleans up 10 gal of large spills and messes at work-sites and busy shops
- Ultra-flexible locking 1-7/8 in the hose expands from 2 to 7 ft and won't pull loose during use

ITEM # THA56390

PLEASE CONTACT  FOR **YOUR** UP TO DATE PRICING

MILWAUKEE® 2579-20 M12™ Stick Transfer Pump



- 3/4 in outlet attaches to standard garden hose
- Up to 275 gal on (1) M12™ REDLITHIUM™ XC4.0 battery
- 360° filter maximizes flow in heavy debris
- 36 in submersible barrel for easier inlet control
- Threaded filter designed for easy removal

ITEM # 2579-20-11961

MILWAUKEE® 2771-20 M18™ Cordless Transfer Pump



- 480 gph flow rate
- Self-priming connect and go
- Lift: up to 18 ft
- Up to 75 ft height head
- Inlet connection: 3/4 in brass
- Outlet connection: 3/4 in brass
- Marine aluminum housing

ITEM # TEL20165

MILWAUKEE® MXF211-1XC MX FUEL™ 1 HP 2 in Submersible Pump Kit



- Includes MX FUEL™ portable pump power base & 1HP 2 in submersible pump, REDLITHIUM™ FORGE™ XC8.0 battery pack, MX FUEL™ rapid charger
- Three pumping modes: auto, high & low
- 40 minutes run time and 2,800 gal per charge on auto-mode
- Shuts off when water reaches 2 in depth
- ONE-KEY™ compatible
- Wireless remote

ITEM # MXF211-1XC-11961

MILWAUKEE® 2940-20 M18™ Brushless Stick Transfer Pump



- Up to 25 gpm
- Pump up to 1000 gal on one M18™ REDLITHIUM™ FORGE™ 12.0 Battery
- 1-1/4 in NPT Threaded Outlet for max flowrate, threaded Y-Adapter for 3/4 in standard garden hose use
- HYDROPASS™ filter maximizes flow in heavy debris
- Brushless motor delivers more power and longer life
- 48 in submersible reach for easier inlet control

ITEM # 2940-20-11961

GENERAC® POWER SYSTEMS 6822 Semi-Trash Water Pump



- 158 gpm pump rate
- 3 gal steel fuel tank with fuel gauge
- Generac® 208 cc OHV engine with low-oil shutdown
- Includes 12 ft suction hose, 25 ft discharge hose and strainer
- Durable silicon carbide mechanical seal provides protection from abrasive materials
- Durable 1 in frame Color-coded suction and discharge ports

ITEM # 6822-11010

LITTLE GIANT® 503103 Submersible Oil-Filled Pump



- 500 gph at 1 in
- For water transfer/recirculation/displays & machine tool colants
- For submersible or in-line use
- 1/15 HP oil-filled motor
- Epoxy coated cast aluminum housing & cover
- Nylon volute & aluminum backplate
- Viton shaft seal & polypropylene screen
- 10 ft cord

ITEM # EQC35017

ITEM #	DESCRIPTION
HOS35010	2-Ply PVC Discharge Hose 2 in x 25 ft
HOS35015	2-Ply PVC Discharge Hose 2 in x 50 ft
M20-50GAX-10639	Synthetic Single Jacket Mill Hose 2 in x 50 ft
HOS35014	2-Ply PVC Discharge Hose 2 in x 50 ft w/Cam Locks
HOS10110	Weatherbeater Garden Hose 5/8 in x 50 ft
HOS10120	Weatherbeater Garden Hose 5/8 in x 100 ft
HOS35000	Water Pump PVC Suction Hose 2 in x 20 ft
HOS35005	Water Pump PVC Suction Hose 3 in x 20 ft
HOS10095	Contractors Rubber Water Hose 3/4 in x 50 ft
HOS22170	2 in Strainer, threaded round
HOS10108	Premium Hot Water Hose 3/4 in x 50 ft



PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

TSURUMI PUMP HS2.4S Manual Submersible Pump



- 1/2 hp, 110V AC, 5.4 A, 1 ph
- Built-in shaft mounted agitator
- Urethane semi-vortex impeller
- Dual inside mechanical seals with SiC faces for longer life
- Oil lifter provides constant lubrication of seal faces
- V-ring seal design protects mechanical seal from abrasive particles

ITEM # TGA73010

TSURUMI PUMP LB-800 Pull Handle Electric Submersible Pump



- Designed to fit an 8 in pipe
- Up to 59 ft shut off head
- Dual inside mechanical seal with SiC faces provides longer operational life
- Oil lifter provides lubrication of the seal faces
- Float switch for automatic operation TS-302 for 115V, TS-303 for 230V
- 50 ft cable

ITEM # LB-800-13289


TSURUMI PUMP EPT3-50HA 2-Inch Engine-Driven Trash Pump



- Honda GX160 gas engine
- Silicon carbide mechanical seal provides for the longest life in its class
- High chrome impeller and cast iron volute casing
- Stainless steel wear plate
- Pump/engine set mounted to cage frame on rubber vibration cushions
- Durable rolled-steel frame provides maximum protection and easy transport

ITEM # TGA73005

TSURUMI PUMP EPT3-80HA 3-Inch Engine-Driven Trash Pump



- Powered by Honda GX240 gas engine
- Silicon carbide mechanical seal provides for the longest life in its class
- High chrome impeller and cast iron volute casing
- Stainless steel wear plate
- Pump/engine set mounted to cage frame on rubber vibration cushions
- Durable rolled-steel frame provides maximum protection and easy transport

ITEM # TGA73006

LITTLE GIANT® 505000 Submersible Utility Pump



- 1,200 gph
- 1/6 hp shaded pole motor with overload protection
- Designed for continuous duty
- Pumps down to 1/8 in
- Removable inlet screen for easy cleaning
- Multiple power cord lengths available
- 26.3 ft shut-off
- 10 ft cord

ITEM # EQC35000

ALLEGRO® 9404-04 Sludge Dewatering Pump



- 1/2 hp motor, 5.1 amp
- Submersible up to 39 ft and continuous running water of 3-1/2 in
- 50 gpm water flow
- Discharge bore: 2 in
- Motor output: 1/2 hp
- Total head* (Max): 39 ft
- Starting method: capacitor

ITEM # 9404-04-10086

ITEM #	DESCRIPTION
[A] HOS55053	Gilmour® Pistol Grip Nozzle
[B] HOS55055	Gilmour® Metal Pistol Grip Nozzle
[C] HOS55040	Gilmour® Fast Turn Brass Twist Nozzle
[D] HOS20909	Dixon® Sweeper Nozzle 3/4 in
[E] HOS22024	Dixon® Insulated Water Nozzle 3/4 in
[F] GNB75GHT-10639	Dixon® Constant Flow Nozzle 3/4 in
[G] HOS22030	Dixon® Fog Nozzle w/ Bumper 3/4 in
[H] HOS35000	Dixon® Ball Shut-Off Nozzle 1-1/2 in
[I] FFN100-10639	Dixon® Forestry Fog Nozzle 1 in
[J] BWSG-10639	Dixon® Hot Water Spray Nozzle

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

ISO 9001:2015 Registered Company



ITEM #	
[A] 1046-12535	1046 Industrial Degreaser Sprayer 48 oz
[B] CON11221	25020 Deck Sprayer, 2 gal
[C] CON11219	21230XP Wide Mouth Sprayer, 3 gal
[D] 60100-12535	60100 Lawn & Garden Backpack Sprayer, 4 gal
[E] CON11203	1380 Tri-Poxy® Premier Sprayer, 3 gal
[F] CON11206	1480 Tri-Poxy® General Duty Industrial Sprayer, 3.5 gal
[G] CON11211	1949 Tri-Poxy® Concrete Sprayer, 3.5 gal
[H] CON11216	22090XP Heavy Duty Industrial Sprayer, 3 gal
[I] CON11218	22180XP Concrete Industrial Sprayer, 3 gal
[J] CON11249	19049 Xtreme® Tri-Poxy® Concrete Open Head Sprayer, 3.5 gal
[K] CON11238	6-711 Curved Males Premier Brass Extension
[L] CON11242	6-5797 Industrial Fan Tip Nozzle
[M] CON11240	6-6000 Adjustable Cone Nozzle

MILWAUKEE® M12™ Handheld Sprayer Kit, 1 gal



- Best pressure control. no manual pumping
- Up to 80 psi and 17 ft vertical spray distance
- Up to 80 gal per charge with M12™ REDLITHIUM™ CP2.0 battery
- One and two hand use for added versatility
- Flow rate: 0.1 - 0.3 gpm
- Strainer for debris free pouring
- Instant, constant, adjustable pressure
- 3-mode pressure adjustment knob to match pressure to application

ITEM #	TANK
2528-21G1-11961	1 gal
2528-21G2-11961	2 gal

MILWAUKEE® 2820-21CS M18™ SWITCH TANK™ Concrete Backpack Sprayer Kit, 4 gal



- Interchangeable tanks, no manual pumping
- Interchange tank assembly to eliminate cross chemical contamination
- Replaceable tank assembly delivers lower cost of ownership
- Instant, constant and adjustable pressure for ultimate control
- 25 ft spray distance
- Run-time up to 12 tanks per charge with M18™ REDLITHIUM™ XC3.0 battery
- FKM seals for increased durability against chemicals
- Dual diaphragm pump for longer pump life
- Wide mouth opening for easier pouring
- Wide straps for comfort during extended duty cycles and storage

ITEM # 2820-2CS-11961

MILWAUKEE® 3019-20PS M18™ SWITCH TANK™ Backpack Sprayer, 4 gal



- Instant, constant and adjustable pressure for ultimate control
- Up to 20 tanks per charge on M18™ REDLITHIUM™ XC3.0 battery on mode 3
- Viton® seals for increased durability against chemicals
- Interchangeable tank assembly to eliminate cross-chemical contamination
- Easy access latches for quick battery and tank swaps
- Adjustable padded harness with lumbar support and padded hip strap
- High visibility tank markings for easy fill management
- Wide mouth for easier pouring

ITEM # 3019-20PS-11961



PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

DEWALT® DCPW5508 Cordless Power Cleaner, 550 psi, 20V



- Take on a wide variety of cleaning tasks with 550 maximum psi and 1.0 gpm
- Garden hose compatible with the quick connect adaptor
- High-quality cleaning: easily apply detergent with the included soap bottle
- Variable speed control: 2 speeds for higher cleaning power and extended runtime
- Fast multi-function adjustment: multiple quick connect nozzles and on-board storage to easily switch between applications

ITEM # DCPW550B-10254

DEWALT® DWPW2100 Electric Power Washer, 550 psi



- Power through a variety of cleaning tasks with a 2100 maximum psi and 1.2 gpm
- Maximize your space with a stackable self-contained compact design that can be stored vertically or horizontally
- Stay organized with dedicated on-board nozzle, hose, cord and wand storage

ITEM # DWPW2100-10254

DEWALT® DWPW2400 Electric Cold Water Pressure Washer, 2400 psi



- Power through a variety of cleaning task with 550 maximum psi and 1 gpm
- Convenient cordless cleaning delivering 10X the power of a garden hose
- Draw water from any fresh water source for convenience on the go
- Connect to a garden hose with the quick connect adapter

ITEM # DWPW2400-10254

SIMPSON 61095 Pressure Washer, Honda GX200, 3000 psi



- HONDA® GX200 engine is equipped with a low oil shutdown feature
- Fuel tank capacity: 0.8 gal
- Reliable AAA® industrial triplex pump with an external unloader and bypass hose
- 50 ft dual braided high-pressure hose is kink and abrasion-resistant
- High-grade aircraft aluminum frame makes it lightweight, durable, and corrosion-resistant
- 10 in Foam-filled tires for increased maneuverability across various terrains
- 4 quick connect nozzle tips, 15°, 25°, 40° and soap nozzle for a variety of spray patterns

ITEM # IR3030212 61095-15099

GENERAC® 7019 1-Wash Gas Pressure Washer with POWERDIAL™ Gun, 3100 psi



- 196 cc Generac® OHV engine
- Axial cam pump with easy-access hose connections
- Convenient 1/2 gal detergent tank
- Ergonomic spray gun with Powerdial™ to easily adjust pressure between tasks
- Oversized never flat tires
- 3.2 gal fuel capacity
- 25 ft high pressure hose

ITEM # 7019-11010

DIXON® NZMQC5P-045 Multi-Pack Spray Nozzle, 1/4 in Inlet, 800 to 5000 psi



- 1/4 in quick connect nozzle multi packs

FLOW RATE:

- 2.01 gpm at 800 psi
- 2.25 gpm at 1000 psi
- 2.76 gpm at 1500 psi
- 3.18 gpm at 2000 psi
- 3.56 gpm at 2500 psi
- 3.90 gpm at 3000 psi
- 4.21 gpm at 3500 psi
- 4.50 gpm at 4000 psi
- 5.03 gpm at 5000 psi

ITEM # NZMQC5P-045-10639

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

MILWAUKEE® 2367-20 M12™ ROVER™ Service and Repair Flood Light



- 120° pivoting light head
- Transparent/bright light color
- 700 lumens of Trueview™ high definition output
- Up to 24 hr lighting with M12™ XC4.0 battery
- USB 2.0 A port for charging of external devices
- Can survive drops up to 9 ft

ITEM # 2367-20-11961

MILWAUKEE® 2112-21 ROVER™ USB Rechargeable Flood Light



- 445 lumens of Trueview™ high definition output
- 2 light output modes for max brightness or extended runtime
- 2ft Heavy Duty Micro-USB braided cord with metal ends
- 3X faster charge time: 2.1A charge rate
- Dual magnet clip
- High Mode: 445 lumens - 2 hr
- Low Mode: 100 lumens - 11 hr
- Impact and chemical resistant lens

ITEM # TEL20535

MILWAUKEE® 2103 Cordless Hard Hat Headlamp



- 350 lumens of Trueview™ high definition output
- Powered by [3] AAA batteries
- IP54: Water and dust Resistant
- Optimized for comfort on the head with sweat absorbing micro fiber forehead
- Wide flood beam pattern
- 2 m impact rated housing and IP54: water and dust Resistant
- 7-Position tilting light head for directing light
- Includes (4) clips for hard hat attachment

THREE LIGHT OUTPUT MODES:

- High mode: 350 lumens - 4 hr
- Medium mode: 150 lumens - 8 hr
- Low mode: 25 lumens - 28 hr

ITEM # 2103-11961

MILWAUKEE® 2128-21 REDLITHIUM™ USB Stick Light



- 550 lumens of Trueview™ high-Definition output
- 2 hr of run-time on high on (1) REDLITHIUM™ USB 3.0 battery
- Inspection light for MPI's and assessment
- Integrated USB-C charging port
- Impact rated to heights of 6 ft
- 4 total output modes: front, back, dual panel plus inspection light
- Light blade rotates 220° vertically
- Magnetic base and hook to mount

ITEM # 2128-21-11961

MILWAUKEE® 2113-21 USB Rechargeable Pivoting Flashlight



- Jobsite tough, braided micro-USB cable with metal ends
- 3X faster charge time delivers 80% charge in under 1 hr (*using 2.1A compatible wall plug)
- Charges REDLITHIUM™ USB battery internally
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge

THREE LIGHT OUTPUT MODES:

- Spot high mode: 500 lumens - 2.5 hr
- Flood high mode: 400 lumens - 3 hr
- Flood low mode: 100 lumens - 10 hr

ITEM # TEL20485

MILWAUKEE® 2163-21 REDLITHIUM™ USB Hard Hat Headlamp



- Detachable for tasks & easy charging
- Button provides battery charge status
- 2 ft heavy duty USB-C charging cord
- 6 ft drops & IP54 rated: dust & water resistant
- Get 50% of a charge in under 30 minutes, 80% in under 1 hr, and a full charge of the REDLITHIUM™ USB battery in 2 hr
- 4 hard hat clips and rubber grip for secure hard hat attachment

FIVE LIGHT OUTPUT MODES:

- Hybrid: 600 lumens - 5 hr,
- Flood high: 400 lumens - 9 hr
- Flood low: 100 lumens - 20 hr
- Spot high: 400 lumens - 9 hr
- Spot low: 100 lumens - 20 hr

ITEM # 2163-21

PLEASE CONTACT  **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

DEWALT® DCL074 20V MAX* Cordless Work Light



- LED provides natural white light for jobsite illumination
- Set up with freestanding, tripod-mounted (sold separately), or hanging via hook
- Durable impact-resistant design stands up to jobsite conditions
- IP-54 rating for weather and dust resistance

ITEM # DCL074-10254

DEWALT® DCL043 Cordless Spot Light



- 3 bright LED bulbs
- 1 bright red LED to preserve night vision
- 2 brightness settings provides flexibility for maximum light output or extended runtime
- 90° pivoting head provides versatility for lighting work surfaces
- Can be seen up to 1,500 ft
- Up to 13.5 hr battery run time

ITEM # DCL043-10254

SOUTHWIRE® L1323SW Portable Work Light



- 10 W high-intensity LED lamp
- High output reflector
- 24 LED's remain cool to the touch after use
- 779 lumens
- 50,000 hour average bulb life
- Body made of die cast aluminum

ITEM # ELE75083

ILLUMAGEAR® HALO SL™ S100010-101 System Headlamp



- Lightweight and cord-free
- 360° visibility for a quarter-mile
- New 50 ft spotlight
- New powerful flood task lighting
- Compatible with any standard hard hat
- New battery life indicator
- Battery and charger included

ITEM # S100010-101-16846

SOUTHWIRE® 7164SW LED String Light



- 7.8 W per module delivers 700 lumens downlight and 100 lumens uplight
- Daisy chain 10 strings with the 100 ft version and 20 strings with the 50 ft version
- IP65 Rating helps to protect from dust and water
- Robust, rugged LED lighting design
- Zero maintenance with no need to change bulb
- UP light to give an overall lighting effect

ITEM # ELE21005

SOUTHWIRE® L1322SW Portable Work Light



- High Intensity SMD LEDs remain cool to the touch after extended use
- Polymeric housing is mounted on a metal H-frame base for added stability
- Produce up to 1558 lumens of long lasting light
- Features high output reflectors and weatherproof switches

ITEM # ELE75084

KLEIN® 56040 Rechargeable Flashlight



- Rechargeable focus flashlight with class IIIA red laser
- Strong magnetic end cap
- 12 hr all day runtime on low
- Battery gauge notifies when the battery is low
- IP54 water and dust-resistant

ITEM # 56040-11611

KLEIN® 56048 Rechargeable Headlamp



- Rechargeable 400 Lumens auto-off LED headlamp with 3 modes
- Battery gauge indicates level of battery life
- Mountable on Klein® hard hats
- Up to 64° of lighting angle adjustment

ITEM # 56048-11611

KLEIN® 55437 TRADESMAN PRO™ Hand Lamp



- Work light with swivel hook and magnet for hands-free use
- Tool Bag Light with 3 x AAA batteries included
- Bright LED light
- Compatible with Klein Tools' Tradesman Pro Organizer Lighted Tool Bag

ITEM # THA36079

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

GENERAC® 7210 GUARDIAN® 1-Phase Air Cooled Generator



- 120/240V, 100 A, 60 Hz frequency, 24 kW power, 999 cc engine, automatic starter
- Natural gas or liquid propane powered
- Takes up 70% less space when compared to other output products
- True power technology delivers best-in-class power quality with less than 5 percent total harmonic distortion for clean, smooth operation of sensitive electronics and appliances
- 48 in L x 25 in W x 29 in H

ITEM # 7210 GENERATOR

GENERAC® GP6500 GP SERIES Portable Generator with COSENSE™



- 6,500 W total power
- COSENSE™ TECHNOLOGY Stops. Alerts. Saves. Powerful protection against hazardous carbon monoxide
- Generac's durable OHV engine with splash lubrication provides a long engine life
- Large-capacity steel fuel tank with fuel gauge provides durability and up to a 10.5 hr run time at 50% load
- Low-oil level shutdown automatically safeguards engine from damage

ITEM # 7680-11010

GENERAC® GP3600 49 ST/CSA Portable Generator



- 3,600 W total power
- PowerRush™ ADVANCED TECHNOLOGY – Delivers over 40% more starting capacity
- Generac's durable OHV engine with splash lubrication provides a long engine life
- Low-oil level shutdown automatically safeguards engine from damage
- Large-capacity steel fuel tank with incorporated fuel gauge provides durability and up to a 10.5 hr run time at 50% load

ITEM # TGA90020

GENERAC® GP5500 SERIES 5939 Portable Generator



- 5,500 W total power
- Featuring PowerRush™ ADVANCED TECHNOLOGY delivers over 40% more starting capacity
- Generac's durable OHV engine with splash lubrication provides a long engine life
- Large-capacity steel fuel tank with incorporated fuel gauge provides durability and up to a 10.5 hr run time at 50% load
- Low-oil level shutdown automatically safeguards engine from damage

ITEM # TGA90025

GENERAC® 7678 GP SERIES Portable Generator



- PowerRush™ ADVANCED TECHNOLOGY – Delivers over 40% more starting capacity
- OHV engine with splash lubrication provides a long engine life
- Low-oil level shutdown automatically safeguards engine from damage
- Large-capacity steel fuel tank with fuel gauge provides up to a 10.5 hr run-time at 50% load
- Tank size 3.7 gal
- 30 amp, 120V

ITEM # 7678-11010

GENERAC® GP18000EFI 49 ST Portable Generator with COSENSE™



- Featuring COSENSE® Technology: Powerful protection against hazardous carbon monoxide
- 816 cc EFI Engine – Delivers the right amount of power to get the best performance and efficiency out of your engine
- TruePower™ Technology – With less than 5% THD, safely powers sensitive electronics and tools
- Low-oil pressure shutdown
- Large-capacity steel fuel tank with fuel gauge, provides durability and extended run times

ITEM # TGA90015

PLEASE CONTACT  FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

GENERAC® iQ3500 Inverter Generator 3500 Surge Watts, 3000 Rated Watts



- 3,500 W surge and 3,000 W rated
- Ultra-quiet performance
- PowerRush™ delivers over 50% more starting capacity (Increases electrical current upon demand; above rated output when starting electric motors)
- Durable steel enclosure
- Clean inverter power and easy portability make this the ideal generator for jobsites or recreational activities
- Electric start with PowerDial™ Start/Run/Stop - Three operation settings integrated into one simple-to-use dial (battery included)

ITEM # 7127-11010

GENERAC® GP2500i 50 ST/CSA Powered Portable Inverter Generator, 2500 W



- Portable Power Solution: The GP2500i inverter generator is your go-to portable power source for outdoor adventures, from camping trips to tailgating events, ensuring stable power without disturbing your surroundings
- High Quality and Consistent Power: With TruePower™ Technology, this generator delivers clean power that's safe for sensitive electronics, tools, and appliances, so you can stay connected even in the great outdoors

ITEM # 82511-11010

MILWAUKEE® 2846-20 M18™ TOP-OFF™ Portable Power Supply Inverter



- Faster simultaneous power
- Has 1 AC 120V outlet, 1 USB-C PD (45 W) port, 1 USB-A (2.4 A) port
- Part of the M18™ System, featuring over 200 cordless solutions
- Fits all M18™ batteries
- Rafter hooks allows for versatility on the jobsite to hang on common materials or carts
- Lightweight, compact design
- Battery, charger and device cords not included
- For laptops, cell phones, TVs and other small devices

ITEM # 2846-20-11961

MILWAUKEE® 2845-20 M18™ CARRY-ON™ Power Supply



- Most versatile 15 A power, less hassle
- 3,600 W of starting power and 1,800 W of running power
- Fits all M18™ batteries
- Pure sine wave inverter protects sensitive electronics
- Integrated 3 A standard simultaneous M18™ charger
- Compatible with 49-16-2845 shoulder strap (sold separately)

ITEM # 2845-20-11961

MILWAUKEE® MXF002-2XC MX FUEL™ CARRY-ON™ Portable Power Supply



- 3,600 W of starting power and 1,800 W of running power
- Efficient & quiet portable power anywhere
- Part of the MX FUEL™ equipment system
- Pure sine inverter protects electronics
- No emissions and durable roll cage
- Groundfault isolated for jobsite use
- Power with 1 or 2 MX FUEL™ batteries
- Integrated charger to charge up to Two MX FUEL™ batteries
- Push button start

ITEM # MXF002-2XC-11961

MILWAUKEE® 3300R ROLL-ON™ Power Supply, 2.5 kWh



- 7,200 W of starting power and 3,600 W of running power
- Best power for the toughest applications
- Instant set-up, eliminate hassles
- Power anywhere
- REDLITHIUM™ 2.5 kWh internal battery
- 9-1/2" in all-terrain wheels to withstand jobsite environments, such as gravel, dirt, and mud

ITEM # 3300R-11961

PLEASE CONTACT  FOR **YOUR** UP TO DATE PRICING

MILWAUKEE® M18 FUEL™
Cordless High Performance Blower



- POWERSTATE™ brushless motor delivers a constant 500 cfm, 120 mph, and 12.2 N of blow force
- Optimized balance and ambidextrous sliding lock-on deliver improved clearing control
- Nozzle attachment capable, optimizing airflow for different applications
- Up to 40% quieter than competitors at only 54 dB
- Reaches full throttle in under one second, boosting productivity and control
- Nozzle attachment capable, optimizing airflow for different applications

ITEM #	DESCRIPTION
3017-20-11961	Bare Tool
3017-21HD-11961	Kit w/ Battery & Charger

MILWAUKEE® 3009-24HD M18 FUEL™
Dual Battery Backpack Blower Kit



- POWERSTATE™ brushless motor delivers 650 cfm and 155 mph
- Delivers a higher blowing force than 60 cc gas while maintaining a noise level of 62 dBA
- Requires (2) M18™ REDLITHIUM™ batteries to operate
- Use up to (4) M18™ REDLITHIUM™ batteries for extended runtime
- Reaches full throttle in under one second, boosting productivity and control
- Includes (4) M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0 batteries and (2) M18™ dual bay simultaneous rapid chargers

ITEM # 3009-24HD-11961

STIHL® 4241-011-1606-US BR 200-Z
Backpack Blower



- 1.07 hp engine with 27.2 cc displacement with max air speed of 150 mph
- Anti-vibration system and lightweight constriction reduces operator fatigue
- Vertical pleated paper air filter extends time between services
- Adjustable support harness distributes weight evenly across the shoulders and back
- Multi-function control handles keeps all operating functions at your fingertips
- Simplified starting procedure reduces the chance of flooding the engine saving you time when starting

ITEM # 4241-011-1616-US-12167

STIHL® 4241-001-034 SH 56 C-E
Shredder Vacuum/Blower



- Easy2Start™ system for effortless starting
- Shoulder strap allows for greater maneuverability and reduce operator fatigue
- Lightweight design helps reduce operator fatigue
- Multi-function control handle allows access to all controls

ITEM # TGA12496

DEWALT® DCBL722 XR®
Brushless Handheld Blower



- Up to 450 cfm of air volume and up to 125 mph with concentrator
- Low noise during operation 66 dBA, ideal for noise sensitive regions and properties
- Lightweight and ergonomic design allows for easy control and arm movement
- Innovative axial fan design that maximizes on air output and run time
- High efficiency brushless motor helps extend run time and motor life
- Variable trigger and speed lock for precise power control

ITEM #	DESCRIPTION
DCBL722B-10254	Bare Tool
DCBL722P1-10254	Kit w/ Battery & Charger

DEWALT® DCBL772 60V MAX*
Brushless Handheld Axial Blower



- Powers through debris at up to 600 cfm of air volume at 125 mph
- Variable speed trigger and speed lock maintain control of the blower output
- 1.25 hr battery recharge time
- Sound level: 68 dB
- High efficiency brushless motor helps extend runtime
- Designed to withstand everyday heavy-duty usage

ITEM #	DESCRIPTION
DCBL772B-10254	Bare Tool
DCBL772X1-10254	Kit w/ Battery & Charger

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

MILWAUKEE® 2825-20ST M18 FUEL™ Brushless Cordless String Trimmer



- POWERSTATE™ brushless motor purposely built for the M18 Fuel™ power head with QUIK-LOK™
- REDLINK™ PLUS intelligence optimizes performance, provides overload protection preventing damage to tool and battery
- Part of the QUIK-LOK™ attachment system
- Features the Milwaukee® easy load trimmer head
- Trigger - variable speed
- Bump system line advance

ITEM #	DESCRIPTION
2825-20ST-11961	Bare Tool
2825-21ST-11961	Kit w/ Battery & Charger

MILWAUKEE® 3013-20 M18 FUEL™ Telescoping Pole Saw



- POWERSTATE™ Brushless Motor delivers up to 2.35 hp peak power
- Lightweight magnesium cutting head for improved balance
- Captured bar nut: nut retained to sprocket cover
- 9 - 13 ft of adjustable length
- Automatic oiler to ensure proper lubrication of the cutting system
- Side access chain tensioner for quick adjustment
- Robust metal branch hook

ITEM #	DESCRIPTION
3013-20-11961	Bare Tool
3013-21-11961	Kit w/ Battery & Charger

MILWAUKEE® 49-16-2720 M18 FUEL™ QUIK-LOK™ Cordless Pole Saw Attachment



- Compatible with the M18 Fuel™ power head with QUIK-LOK™
- Automatic oiler for proper chain lubrication and increased productivity
- Easy access chain tensioner - quick adjustments to chain tension
- Translucent oil reservoir - clear visibility to oil levels
- Padded grip - for optimal hand placement and increased comfort

ITEM # 49-16-2720-11961

MILWAUKEE® 3004-20 M18 FUEL™ HATCHET™ Pruning Saw, 8 in



- Fastest cutting pruning saw
- Full house chain minimizes vibration and delivers clean cuts
- POWERSTATE™ brushless motor delivers the power to complete cuts in demanding materials
- Lanyard loop for tie off points in aerial applications
- Easy access chain tensioner for quick adjustments to chain tension
- Includes: (1) scabbard

ITEM # 3004-20-11961

MILWAUKEE® 2727-20 M18 FUEL™ Brushless Cordless Chain Saw



- POWERSTATE™ brushless motor generates the power and performance of a gas engine up to 40 cc
- REDLINK™ PLUS intelligence ensures optimal performance and provides overload protection to prevent damage to the tool and battery
- Dual-stud for improved bar and chain retention
- Automatic oiler for proper chain lubrication and increased productivity
- On-board storage for scorch
- Variable speed trigger for full control

ITEM # 2727-20-11961

MILWAUKEE® 2826-21T M18 FUEL™ Top Handle Chainsaw Kit



- POWERSTATE™ brushless motor delivers the power to complete cuts in demanding applications providing up to 2.7 hp
- 150 cuts per charge with an XC 8.0 and 225 cuts per charge with HD12.0 in cedar 4 x 4 in
- Translucent oil reservoir allows for clear visibility to oil levels
- REDLINK™ PLUS intelligence: ensures optimal performance and provides overload protection to prevent damage to the tool and battery

ITEM # 2826-21T-11961

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

ISO 9001:2015 Registered Company

STIHL® 1123-200-0881 MS 250 Chain Saw, 18 in



- 45.4 cc engine
- Easy access air filter cover
- Winter/Summer shutter
- Anti-vibration system reduces operator fatigue
- Master Control Lever™ is an easy to use lever, operating the choke, starting throttle lock, and on-off switch
- Side access chain tensioner allows for convenient adjustment
- Quickstop® chain brake stops chain rotation when kickbacks occur

ITEM # TGA42163

STIHL® 114-1201673 MS 291-Z Chain Saw, 18 in



- 55.5 cc engine
- Dependable, mid-range chainsaw with an anti-vibration system
- Fuel-efficient engine increases run time between refuelings by 20% compared to the previous model
- Side access chain tensioner allows for easier adjustment
- Master Control Lever™ is an easy to use lever, operating the choke, starting throttle lock, and on-off switch
- Pre-separation air filtration captures less dirt, limiting cleaning and maintenance

ITEM # TGA42175

STIHL® TS CUTQUIK® Cut-Off Saw



- 66.7 cc engine
- IntelliCarb™ Compensating Carburetor automatically adjusts the air/fuel flow to maximize power
- X2 Air Filtration removes 80% of dust, allowing air filter to last up to a year
- Semi-automatic belt tensioning increases belt and shaft bearing life
- Anti-vibration system reduces operator fatigue
- Water connection with shut-off valve and quick connector

ITEM #	SIZE
TGA42177	TS 410 12 in
TGA42178	TS 420 14 in

HUSQVARNA® 967 18 10-02 Gas Cutoff Saw, 14 in



- Light and powerful
- Long service intervals
- Easy to start
- Maintenance free air filter
- Optimized engine performance
- Easy to change blade guard position
- Effective active air Filtration™ cleaning system
- SmartCarb™, the advanced carburetor which automatically controls fuel/air mixtures to always give the engine maximum power

ITEM # TGA20006

MILWAUKEE® 2786-20 M18 FUEL™ Cordless Cut-Off Saw



- Power to cut reinforced concrete
- Up to 50% lighter than gas
- No gas headaches
- On-board water connection - quick-connect
- Load indicator light

KIT INCLUDES:

- (2) M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0 batteries
- (1) M18™/M12™ Rapid Charger
- (1) Diamond Premium™ segmented blade

ITEM #	DESCRIPTION
2786-20-11961	Bare Tool
2786-22HD-11961	Kit w/ Batteries & Charger

MILWAUKEE® MXF315-2XC MX FUEL™ Cut-Off Saw, 14 in



- Push button activation
- RAPIDSTOP™ blade brake and kickback control
- Load light indicator
- No emissions
- No mixing gas and oil
- No engine maintenance
- Onboard electric water valve

KIT INCLUDES:

- (2) MX FUEL™ REDLITHIUM™ FORGE™ XC8.0 batteries
- (1) MX FUEL™ Super Charger
- (1) 14 in DIAMOND ULTRA™ segmented, turbo diamond blade

ITEM # MXF315-2XC-11961

PLEASE CONTACT  FOR **YOUR** UP TO DATE PRICING

YOUR #1 SOURCE FOR CONSTRUCTION & INDUSTRIAL SUPPLIES

MILWAUKEE® 2719-20 HACKZALL™ Cordless Reciprocating Saw



- Cuts up to 50% faster than competitive one handed reciprocating saws
- Up to 4x lower vibration for smooth cut starts and one-hand control
- Compact and lightweight design allows for easier cutting in tight spaces or overhead applications
- REDLITHIUM™ battery technology
- REDLINK™ PLUS intelligence
- One-handed design provides superior control and versatility
- Pivoting shoe provides constant contact with the work-piece

ITEM # 2719-20-11961

MILWAUKEE® 2821-20 M18 FUEL™ SAWZALL® Cordless Reciprocating Saw



- 1-1/4 in stroke length removes more material with each stroke
- Adjustable shoe extends the life of the blade
- Built-in LED light
- Hang hook allows for convenient storage on the job
- Lever action QUIK-LOK™ blade clamp provides fast and easy blade changes
- POWERSTATE™ brushless motor
- REDLINK™ PLUS intelligence

ITEM #	DESCRIPTION
2821-20-11961	Bare Tool
2821-20-11961	Kit w/ Battery & Charger

MILWAUKEE® 2829-20 M18 FUEL™ Compact Cordless Portable Band Saw, 3-1/4 in



- POWERSTATE™ brushless motor
- Conduit reamer attachment compatibility [sold separately]
- CPT™ Constant Power Technology™ maintains cut speed in the toughest applications
- Variable speed trigger - provides maximum speed control
- REDLINK™ PLUS intelligence
- Lightweight design for increased balance
- Jobsite Armor™ Technology™ provides long lasting rugged protection

ITEM #	DESCRIPTION
2829-20-11961	Bare Tool
2829-22-11961	Kit w/ Battery & Charger

MILWAUKEE® 2782-20 M18 FUEL™ Cordless Circular Saw



- Brushless motor with 3900 rpm delivers the fastest cutting metal cutting saw
- Brushless motor has no wearable components delivering longest tool life
- M18™ REDLITHIUM™ batteries (not included) deliver up to 370 cuts in 3/4 in EMT
- POWERSTATE™ Brushless motor provides more power, more run-time, and longer life
- 90° cutting angle
- Metal cutting applications

ITEM # 2782-20-11961

DEWALT® DCS367B 20V MAX* XR Brushless Compact Cordless Reciprocating Saw



- Up to 2.5x more runtime
- Only 5 lb in weight (tool only)
- Bright led light to illuminate dark work areas
- Compact 14-1/2 in L fits in between studs and in other tight spots
- Keyless 4-position blade clamp for quick and easy blade changes and cutting versatility
- Variable speed trigger delivers up to 2900 spm
- Plastic housing
- For wood and metal cutting applications

ITEM # DCS367B-10254

DEWALT® DCS371P1 20V MAX* Cordless Band Saw Kit, 2-1/4 in



- Centered handle position provides superior balance and ergonomics
- LED work light with 20 second delay
- Integrated hang hook
- Blade tracking adjustment increases blade life by providing better blade tracking
- Tool less blade changing lever loosens blade tension to allow for blade change
- Dual bearing blade guide rollers provides increased durability in the blade support system

ITEM # TEL30186

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

ISO 9001:2015 Registered Company



SKYLOTEC® L-0520 SUPER STATIC 9.0 Milan Rope, 9 mm, 150 m



- Rope for all MILAN rescue devices
- Sewn ends with Kobra Twistlock carabiners
- For use in temperatures between -31°F and 113°F
- Polyamide/Steel construction

ITEM # L-0520-150-17548

SKYLOTEC® A-028 MILAN 2.0 HUB Rescue Device



- Electrically operated rescue device with RDD
- Enables effortless roping up, < 2 min for 32 ft
- Maximum lifting weight of 617 lb in emergency

ITEM # A-028-17548

SKYLOTEC® G-1132-WS IGNITE PROTON Wind Harness



- Can be used with all carabiner openings of 10.5 mm and up
- Thermo-shaped waist padding
- Replaceable shoulder and leg padding
- Four aluminum attachment points

ITEM # SIZE

G-1132-WS-XS/M -17548	XS - M
G-1132-WS-M/XXL -17548	M - 2XL
G-1132-WS-XXL/5X -17548	2XL - 5XL

SKYLOTEC® SKYSAFE PRO FLEX Y Double Leg Lanyard



- Patented energy absorber with weight range from 110 lb to 310 lb
- Withstands max impact of < 6 kN at maximum absorber length of 5.7 ft
- Final impact resistance of 22 kN
- Built in adjustable rescue loops save time during a rescue scenario

ITEM # CONNECTOR

L-0533-18-17548	Dual Carabiner
L-0558-18-17548	Dual Rebar Hook

SKYLOTEC® L-0691-2 SET LORY PRO Descender



- Can be used for work positioning, restraining device, or temporary fall arrest anchor
- Automatic blocking in case of a fall
- Maximum load of 496 lb

ITEM # L-0691-2-17548

SKYLOTEC® H-251-17548 CT UP YOU GO 2.0 Pully Hauling System



- CE-marked and tested with a load of 18 kN for 3 minutes
- Auto-locking haul system with 4:1 mechanical advantage (5:1 if used upside down)
- Includes 2 oval OVX TG carabiners
- Prevents load from slipping backwards
- Comprised of UP ROLL and UP LOCK pulleys, equipped with sheaves mounted on ball bearings

ITEM # A-028-17548

SKYLOTEC® SET-CL001-KNOB CLAW Vertical Cable Sleeve



- Redundant safety features to reduce improper installation
- Replaceable shock-absorbing pack
- Anti-gravity locking system
- The two-hand operation to prevent unintentional opening of the sleeve
- Shackle and swivel carabiner for maximum ease of use and freedom of movement

ITEM # SET-CL001-KNOB-17548

SKYLOTEC® SET-337-23 6:1 Mini Pulley System



- 6:1 ratio makes for easy lifting
- Rope lock secures the load
- Use is applicable to all sectors of work — raising/lowering casualties, tensioning, and lifting light loads
- Includes 75 ft of micro rope with a minimum operating length of 3 ft, and 2 trilock double carabiners

ITEM # SET-337-23-17548

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

LIBERTY LINE® FREEDOM™ 3-Point Lightweight Full Body Harness



- One dorsal attachment D-ring for fall arrest, adjustable leg straps
- High-tenacity polyester threading
- Width: 1.73 in \pm 0.04 in, breaking strength of 5,000 lb
- Sizing from small to large
- Meets or exceeds ANSI standards and OSHA regulations

ITEM # FAL28000

LIBERTY LINE® FREEDOM™ 3-Point Full Body Harness



- One dorsal attachment D-ring for fall arrest, adjustable leg straps
- Made of high-tenacity polyester
- Width: 1.73 in \pm 0.04 in, breaking strength of 5,000 lb
- Sizing from small to large
- Meets or exceeds ANSI standards and OSHA regulations

ITEM # FAL28001

LIBERTY LINE® HAWK™ KIT 3-Point Harness and 6 ft Lanyard



- One dorsal attachment D-ring for fall arrest with adjustable leg and chest straps
- High-tenacity polyester threading
- Width: 1.73 in \pm 0.04 in, breaking strength of 5,000 lb
- Meets or exceeds ANSI standards and OSHA regulations

KIT INCLUDES:

- Liberty Line® Eagle™ 6 ft Lanyard
- Liberty Line® Freedom™ 3-Point Harness

ITEM # FAL28004

LIBERTY LINE® EAGLE™ 6 ft Shock Absorbing Lanyard



- Design: Y Shaped 1.57 in wide polyester tubular webbing specs incorporated with energy absorbing polyester webbing specs with a steel stamped snap hook on each end
- High-tenacity polyester threading
- Width: 1.57 in \pm 0.04 in, breaking strength: 5,000 lb
- Meets or exceeds ANSI standards and OSHA regulations

ITEM # FAL28009

LIBERTY LINE® ADIRONDACK™ Self Retracting Lifeline



- Anchorage handle at anchorage end
- Steel swivel hook at retractable end
- 3/16 in galvanized steel wire rope
- Includes installation carabiner, snap hook, and tailline
- Durable plastic housing
- Meets or exceeds ANSI standards and OSHA regulations

ITEM #	LENGTH
FAL28016	10 ft
FAL28017	20 ft
FAL28018	30 ft
FAL28019	50 ft

LIBERTY LINE® EAGLE™ 6 ft Twin Leg Shock Absorbing Lanyard



- Design: Y Shaped 1.57 in wide polyester tubular webbing specs incorporated with energy absorbing polyester webbing specs with a steel stamped snap hook on each end
- High-tenacity polyester threading
- Width: 1.57 in \pm 0.04 in, breaking strength: 5,000 lb
- Meets or exceeds ANSI standards and OSHA regulations

ITEM # FAL28010

LIBERTY LINE® BIGHORN™ 8 ft Tie-Back SRL



- High abrasion resistant Dyneem® webbing
- Includes installation carabiner
- SRL connector at top and tie back hook at bottom end
- Meets or exceeds ANSI standards and OSHA regulations

ITEM # FAL28020

LIBERTY LINE® BIGHORN™ 8 ft Dual Tie-Back SRL



- Weight capacity of 130 - 310 lb
- High abrasion resistant Dyneem® webbing
- Includes installation carabiner
- Twin SRL connector at top and tie back hook at bottom end
- Meets or exceeds ANSI standards and OSHA regulations

ITEM # FAL28021



SAFEWAZE™ Adjustable Tripod Kits, 65 ft



*019-11002-10829 pictured

- Support element for entry/egress into confined spaces
- Provide an anchorage for fall protection
- Use for rescue/evacuation of workers
- 7 ft adjustable tripod
- 65 ft 3-way device
- Storage bag
- Capacity: 310 lb weight/620 lb material
- Two additional 5,000 lb anchor points
- Two pulleys for use with multiple devices

ITEM #	DESCRIPTION
019-11002-10829	Standard, 1 Winch
019-11003-10829	Material, 2 Winch
019-11004-10829	Personnel, 2 Winch

SAFEWAZE™ FS-FSP1411-W LATITUDE HD Single Web SRL



- Reliable internal braking system eliminates need for external shock pack
- Durable housing and premium webbing increase strength and longevity
- 360/180° attachment point offers full range of motion
- All components are Z359.12 compliant
- ANSI weight capacity: 130 to 310 lb

ITEM # FS-FSP1411-W-10829

SAFEWAZE™ FS170 PRO Construction Harness



- Dorsal D-ring
- Side positioning D-rings
- Friction buckle torso adjusters
- Mating buckle chest
- Tongue buckle legs
- Shoulder pad
- Fixed waist pad

ITEM #	SIZE
FS170-M-10829	M
FS170-L-10829	L
FS170-XL-10829	XL
FS170-2X-10829	2XL

HSI® SAFEWAZE™ 021-3172-10829 Wind Kit



KIT INCLUDES

- Wind & Tower Construction Harness (FS377-XL)
- PRO 6 ft Stretch Energy Absorbing Lanyard (FS88761-FF-ALU P)
- EVO 3/8 in Detachable Cable Sleeve (020-12101)
- 20 in Duffel Bag (FS8150)

ITEM # HSI 021-3172-10829

SAFEWAZE™ NORTHSTAR CLASSIC LE Cable Leading SRL



- External energy absorber for leading edge use
- Swivel attachment point offers wide range of motion
- High strength polymer housing resists impact
- Braking system activates quickly to arrest fall
- All components are Z359.12 compliant
- Unit is service and repair capable
- Hook tensile strength: 5,000 lb
- 3/16 in galvanized steel cable
- ANSI weight capacity: 130 - 310 lb

ITEM #	LENGTH
FS-FSP9020-10829	20 ft
FS-FSP9030-10829	30 ft
FS-FSP9050-10829	50 ft


SAFEWAZE™ SW-8008-11LE-ALU Single Leading Edge SRL



- Unique protective shock pack cover with mesh lining for cool-air comfort
- Convenient harness fastener straps for added security
- Behind-the-web bracket attaches easily
- Durable housing for added dependability
- 360/180° attachment point swivels for full range of motion
- Designed for sharp leading edges with foot-level connection

ITEM # SW-8008-11LE-ALU-10829

SAFEWAZE™ 024-4109 Reach Anchor Assembly



- Remotely anchor to an elevated point
- Connects to I-beams up to 12 in, pipes and other pre-established anchor points
- Compact, lightweight and portable
- Remote release using telescoping pole and attachments
- Easy 2-stage installation to attach anchor point and raise PFAS
- Corrosion-resistant premium grade aluminum components add strength
- Includes: (1) Telescoping pole, (1) Magnetic Quick Connector Base, (1) Hook Attachment

ITEM # 024-4109-10829

SAFEWAZE™ FS1026 Carabiner w/ Captive Pin



- Heat treated steel alloy construction
- Optional captive pin
- 3,600 lb twist lock gate
- Large gate opening 2.1 in

ITEM # FS1026-10829

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

FALLTECH® 8050 FT-LINEMAN PRO™ Body Belt



- Belt design prioritizes ergonomics and adjustability to support the climber's weight and eliminate pinch points
- Features 4 kV rated dielectric overmolded d-rings for secondary connection
- Fully adjustable; accommodating a range of six d-ring sizes per belt size
- Primary connecting links maintain proper orientation of both carabiner and climber
- Primary connecting links: plated alloy steel; 5,000 lb min static strength with 3,600 lb gate strength
- D-rings: overmolded alloy steel (5,000 lb min static strength)
- Buckles and adjusters: overmolded alloy steel (3,372 lb min static strength)
- OSHA and ASTM user capacity of 420 lb max



STANDARD

ITEM #	SIZE
8050S-10077	S
8050M-10077	M
8050L-10077	L
8050XL-10077	XL

QUICK CONNECT

ITEM #	SIZE
8050QCS-10077	S
8050QCM-10077	M
8050QCL-10077	L
8050QCXL-10077	XL

FALLTECH® 8180D APEX™ PRO Wood Pole Fall Restrict Device



- Articulating strap adjuster conforms to any shape or size pole
- Proprietary compact snap hook makes connection quick and easy with as few as two fingers
- Articulating, thumb release strap adjuster and horizontal rope adjuster
- Extra large diameter rope improves ergonomics and durability than traditional 10 mm rope
- Sotted bent d-ring better manages off-hand rope and prevents pinching of rope or fingers
- Included neodymium magnetic tail keeper mitigates trips and snags caused by the tail end of the rope

ITEM # 8180D-10077

FALLTECH® 8180D APEX™ PRO Wood Pole Fall Restrict Device



- Purpose built, proprietary compact snap hook makes connection quick and easy with as few as two fingers
- Horizontal adjuster features thumb release lever for effortless and infinite adjustment
- Extra large diameter rope improves ergonomics and durability to traditional 10 mm ropes
- Included neodymium magnetic tail keeper mitigates trips and snags
- Compatible with wood poles measuring 4 in to 30 in dia
- Rope: 18 mm Technora® kernmantel rope (5,000 lb minimum static strength)

ITEM # DESCRIPTION

[A] 8180R-10077	Rope Only
[B] 8180SR-10077	Secondary Rope

FALLTECH® 727630LE Contractor Leading Edge SRL



- May be used as a traditional SRD for overhead anchorage options or in below harness D-ring anchorage conditions
- Dual energy absorber system internal inertial brake and external shock pack
- 7/32 in galvanized steel cable for added cut-resistance
- Designed to reduce the risk of cable failure when contacting an edge during a fall event

ITEM # FAL15060

FALLTECH® Contractor Overhead SRL



- 3/16 in galvanized steel cable lifeline with load-indicating swivel snap hook
- Features glass-filled nylon housing for durable impact resistance.
- Lifeline includes recoil spring bumper to reduce retraction lock-up
- Rugged internal steel drum and inertial braking system

ITEM # LENGTH

FAL95030	30 ft
727650C-10077	50 ft

FALLTECH® 7530 Dual Ratcheting Beam Clamp



- Features aluminum crossbar and steel clamping jaws with nylon slider pads
- Fits beam flanges from 3 in to 14 in wide and up to 1-1/4 in thick
- Dual adjusting jaws include concealed locking latches
- Alloy steel D-ring remains centered on crossbar
- For temporary mobile use on horizontal I-beams

ITEM # FAL15014

FALLTECH® VIEWPACK™ Shock Absorbing Lanyard



- Rugged 1 in polyester webbing
- Integral label cover to protect warning and inspection labels
- Exclusive ViewPack™ design combines integral protection of labels and view window for inspection of internal energy
- Tear-away absorber design limits fall forces to 900 lb or less

Tensile strength: 5,000 lb

ITEM # DESCRIPTION

FAL27051	One Leg
FAL27061	Two Leg

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755

PETZL® K090AA00 JAG Rescue Kit, 30 m



- The JAG Rescue Kit is a ready-to-use reversible rescue kit designed to easily pick off and lower a victim

RESCUE KIT CONTAINS:

- Jag System haul kit
- Ring open gated ring
- I'D Evac descender
- Axis 11 mm rope with two sewn terminations
- Connexion Fixe 150 cm anchor strap
- 25 L bucket bag

ITEM # K090AA00-16646

3M™ DBI-SALA® 3327275 ROLLGLISS™ Rescue and Descent Device



- Emergency rescue and evacuation from a wide variety of elevated work areas
- Fully automatic controlled descent
- Bidirectional design enables multiple rescues
- Built-in rescue lifting wheel
- Dual brake design
- High strength, corrosion-resistant components
- Compact and lightweight design
- Integrated rope control ears
- Equipped with I-Safe™

ITEM # 3327275-10349

FALLTECH® 7507 Confined Space Tripod Kit



- Two head mounted pulleys
- Adjustable to 55 in to 91 in working height, with 6 in adjustments
- 60 ft cable winch
- Capacity: 310 lb weight/620 lb material
- Compact 64 in folded height with included 70 in weather resistant storage bag

ITEM # 7507

FALLTECH® 685020 Self Rescue Ladder, 20 ft



- Designed for self and assisted rescue of a conscious victim after a fall has occurred
- Easily deploys for victim ascent to safety or rescuer descent for administered assistance.
- Constructed with day- bright high-visibility webbing and reflective fabric on side rails
- Features 10-1/2 in width with 12 in step spacing between rungs
- Includes pre-connected alloy steel anchorage carabiner

ITEM # 685020-10077

FALLTECH® 5040 Trauma Relief System



- 2-part UniFit system easily attaches to most harnesses with choke-on snap fastener installation
- Adjustable length step-in continuous loop accommodates both user's feet to relieve pressure and improve balance.
- Features paired thumb loops for quick user deployment after a fall
- Step-in webbing assembly features full-length reflective striping and steel adjuster buckles

ITEM # 5040-10077


3M™ DBI-SALA® 9501403 Trauma Strap



- Helps prevent the effects of suspension trauma after a fall
- Allows the worker to relieve the pressure being applied to the veins/artries in the legs
- Accommodates one foot or both feet relieving pressure to both sides
- Simple and fast zipper style deployment
- Ensures the system stays out of the worker's way for added safety and productivity

ITEM # FAL97095

SAFEWAZE™ FS902 Suspension Trauma Steps



- 6 ft overall strap length
- Multi-step system for versatility
- Durable web construction
- Quickly attaches to most harnesses
- Simple connection at dorsal D-ring
- Relieves dangerous pressure on the legs after a fall

ITEM # FS902-10829

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

ACCESSORIES

3M™ DBI-SALA® 5000335 LAD-SAF™ Mobile Rope Grab



- Mobile design automatically follows user
- Inertia and cam locking systems for safety
- Energy absorbing design reduces forces
- Detachable anywhere along the lifeline
- Durable and lightweight corrosion resistant construction
- Unique design is less sensitive to rope variations
- For use with 5/8 in dia rope lifeline
- Use with 3 ft (0.9 m) shock absorbing lanyard

ITEM # FAL50105

MILLER® BY HONEYWELL 8174/U Manual Rope Grab



- Rope grabs move easily up and down vertical lifelines providing continuous fall protection
- In the event of a fall, Miller® rope grabs lock quickly
- Compact design, corrosion resistant stainless steel construction
- Lightweight and easy to use
- Wire rope grabs are designed for use with 5/16 in galvanized or stainless steel wire rope lifelines
- Secured to an anchorage independent of the worker's platform
- For use with 5/8 in synthetic rope
- 2.145 in ID O-ring

ITEM # FAL69120

HSI® HSI-VL Vertical Lifeline



- 5/8 in diameter polyester/polypropylene blend rope
- Double locking snap hook at one or both ends
- Designed for use by one worker with a trailing grab hook
- Rope is hand spliced to hook eye with protective plastic thimble in eye
- Available in lengths up to 600 ft

CONTACT YOUR HSI SALES REP FOR
YOUR SPECIFIC LIFELINE LENGTH

LIBERTY LINE® BISON™ Vertical Lifeline, 100 ft



- Made of high strength 5/8 in dia Polydac twisted rope
- Snap hooks at both ends of the rope
- Meets or exceeds OSHA regulations and ANSI standards

ITEM # FAL28014

GUARDIAN® 01310 VLA-25 Vertical Lifeline, 25 ft



- Heavy-duty poly rope resists abrasion and cuts for durability
- Comes with a self-locking carabiner for extra safety
- Perfectly suitable for use in wet or damp environments

ITEM # 01310-11141

PETZL® M032AA00 BM'D Asymmetrical Carabiner



- 18 mm gate
- Fluid interior design limits the risk of having a catch point
- Keylock System to avoid any involuntary snagging
- Triact-Lock automatic locking system with triple-action gate opening

ITEM # M032AA00-16646

MILLER® BY HONEYWELL 17D-1 Carabiner



- 1 in snap, 1 in gate
- Plated to resist rust and corrosion
- Miller offers a variety of temporary anchorage connectors
- Large, convenient, steel twist lock carabine
- Automatic twist lock steel carabiner is a spring loaded keeper used as anchorage connector

ITEM # FAL69244

MILLER® BY HONEYWELL 18D-1 Automatic Carabiner



- 2 in snap, 2 in gate
- Miller offers a variety of temporary anchorage connectors
- Large, convenient, steel twist lock carabine
- 3600 lb (16 kN) proof tested
- Confined space, fall from height and other hazards

ITEM # FAL69243

KNOW THE **A B C**'S
OF FALL PROTECTION

SCAN THE QR CODE FOR OUR
FALL PROTECTION FLYER



PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755



Nothing but **HEAVY DUTY.**®

MILWAUKEE® 48-22-8427 PACKOUT™ Rolling Tool Box



- Connects with all other PACKOUT™ system components via integrated locking cleats
- 250 lb weight capacity
- 9 in all-terrain wheels
- Mounting location for ONE-KEY™ tick
- Metal reinforced corners
- Metal reinforced locking point
- Industrial grade 19.75 in extension handle
- Interior organizer tray
- IP65 rated with full protection against dust and other particles
- 18 in L x 22 in W x 19.5 in H

ITEM # 48-22-8427-11961

MILWAUKEE® 48-32-4010 SHOCKWAVE™ 54 pc Bit Set



- Titanium coated drill bits for 5X life vs black oxide
- Wear guard tip protects fit over the life of the bit
- Optimized shock zone absorbs peak torque and prevents breaking
- Customizable accessory case is designed for use in PACKOUT™
- Laser hardening at the tip creates an outer protective shield for improved wear resistance
- Includes: P1, P2, PR1, P3, SQ1, SQ4, SQ3, T15, T20, T25, T27, T30, SL#8, SL#10, 1/8 in, 9/64 in, 5/32 in, 3/16 in, SQ2, 3.5 in, 1-7/8 in, 1/4 in, 5/16, 3/8 in, 1/4 in point, hex point, 1/4 in drive/shank, alloy steel

ITEM # 48-32-4010-11961

MILWAUKEE® 49-22-4185 HOLE DOZER™ ICE HARDENED™ 28 pc Hole Saw Kit



- Rip Guard™ the strongest tooth form in the industry
- Plug Jack™, an all access slot design for fast plug removal
- Bi-metal construction with 8% cobalt for increased wear resistance
- Strongest tooth in the industry
- Rip Guard™ limited lifetime tooth break warranty plug Jack™ an all access slot design for fast plug removal
- Applicable on mild steel, stainless steel, nail embedded wood, plastic, duct, pipe, tube and non-ferrous metals
- Ice Hardened™ cryogenically treated for up to 50 PCT longer life
- Optimized tooth form for up to 2X faster cutting

ITEM # 49-22-4185-11961

MILWAUKEE® 2863-20 M18 FUEL™ High Torque Cordless Impact Wrench



- 1/2 in, 4 mode straight drive
- POWERSTATE™ brushless motor delivers up to 1000 ft-lb of fastening torque and 1400 ft-lb of nut-busting torque
- ONE-KEY™ compatible - customize, track and manage tools performance and location
- M18 FUEL™ with ONE-KEY™ technology provides the most repeatable impact wrench in the industry
- Easily toggle up to four custom performance profiles that can be saved to the memory of the tool
- Features a friction ring design to ensure quick and easy socket changes
- Premium rubber overmold withstands corrosive materials and provides increased comfort when in use
- LED light to illuminate the work area

ITEM # 2863-20-11961

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING



**SHOP
NOW**



MILWAUKEE® 2877-22 M18™ FORCE LOGIC™ Cordless Dieless Crimper Kit



- Fastest dieless crimper
- Lightest, in-line design and 180° rotating head for easiest alignment
- Low profile clevis and narrow nest for easiest alignment
- Easy access latch and one handed close, frees-up second hand to hold material
- Up to 90 crimps per charge on a M18™ REDLITHIUM™ CP2.0 battery on 600 mcm copper
- Pre-crimp battery check automatically ensures enough charge to complete each crimp
- Instant verification of successful cycle with green LED
- The tool records and stores every crimp made for professional report building through ONE-KEY™
- Longer life with POWERSTATE™ brushless motor and weather protected electronics

ITEM # 2877-22-11961

MILWAUKEE® MXF041-1XC MX FUEL™ ROCKET™ Tower Light/Charger



- Most portable 10 ft light
- 27,000 lumens of task or area lighting
- Fully Compatible with the MX FUEL™ equipment system
- 8 in all-terrain run-flat wheels
- 4 outriggers provide increased stability in uneven terrain
- 4 adjustable light heads for task or area lighting
- Motorized mast deploys light heads up to 10 ft in seconds
- Integrated AC plug is concealed to protect from exposure
- Integrated MX FUEL™ REDLITHIUM™ battery charger
- ONE-KEY™ compatible

ITEM # MXF041-1XC-11961

MILWAUKEE® MLBXC48 REDSTICK™ Level Set with Storage Bag



- Included 48 in bag features tough, water resistant nylon construction with all metal hardware and durable zipper closures to ensure ultimate durability on the jobsite
- Two integrated carrying handles that can also act as hang handles for easy transport and storing
- External storage and integrated tool loops for additional storage of tools and/or building materials
- All metal frame with reinforced vial retention
- High density, removeable end caps
- Precision milled measuring surface for guaranteed accuracy

LEVELS INCLUDED:

- Magnetic torpedo level, 10 in
- Non-magnetic box level, 24 in
- Non-magnetic box level, 48 in

ITEM # MLBXC48-11961

MILWAUKEE® 2810-20 M18 FUEL™ Mud Mixer



- Power to mix heavy compounds, such as concrete and mortar
- Ultimate speed control: 3 different ways of controlling speed for clean and consistent mixes (8-speed setting dial, variable speed trigger and a lock on button)
- Up to 15 buckets per charge (5.0 Ah battery and 5 gallon buckets)
- 180° adjustable handle with 16 adjustable settings for user to optimized based on preference and comfort
- 1/2 in keyed chuck
- Chuck key with on-tool storage
- LED light to illuminate the work area

ITEM # 2810-20-11961

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755

43

KLEIN® 60502 Hard Hat Earmuffs



- Earmuffs designed for use with Klein Tools full brim hard hats
- Noise Reduction Rating (NRR): 26 dB
- Soft foam ear cushions for effective acoustic seal and all-day wear
- Spacious interior for comfortable ear fit
- Designed with pivot positions on earmuff connector for in-use, stand-by, and storage positions
- Easy to adjust wire arms for customized fit
- Durable ABS plastic cup for rugged environments

ITEM # 60502-11611

KLEIN® 55655 TRADESMAN PRO™ Tool Backpack



- 21 pockets and large interior
- Includes removable flashlight with work light, a bright magnetic flashlight and broadcasting work light in one tool
- Elastic loop holds work light for hands-free illumination of backpack interior
- Backpack unzips halfway or fully extends for workstation access
- Made of water-resistant 1680D ballistic weave
- Orange interior for easy tool visibility
- Adjustable chest and lower straps
- Front zipper pocket for small items

ITEM # 55655-11611

KLEIN® 54803MB MODbox™ Medium Tool Box



- MODbox™ components easily interconnect for a customized mobile workstation
- Built-in side rails allow for attachments and easy access to frequently used items and tools
- Toolbox is made with impact resistant polymers, IP65 rated for protection against debris and rain
- Lid features V-groove contoured for pipe, molded in ruler for easy measurement
- Molded in divider slots dual function as receiving slot for 1/2 in EMT conduit
- Built in headlamp bracket

ITEM # 54803MB-11611

KLEIN® 50611 Magnetic Wire Puller



- Quickly and easily fishes wire and cable behind finished walls and enclosed spaces
- High strength, Rare-Earth magnets provide strong hold for easy wire and cable pulling
- Easy rolling mar-resistant wheels
- 180° pivot handle
- Hard plastic carrying case
- Doubles as a metal stud finder with marking notches on all four sides of handheld unit

ITEM # 50611-11611

KLEIN® IR1 Infrared Digital Thermometer



- Infrared thermometer has an optical resolution (distance to spot) of 10:1
- Features include targeting laser
- Automatic hold
- Backlit display
- Measurement range is -4°F to 752°F
- Automatically ranging True Root Mean Squared (TRMS) measurement technology for accuracy
- Drop protection to 6.6 ft

ITEM # IR1-11611

KLEIN® 935DAGL Digital Level



- Digital level measures 0 to 90°, 0 to 180° or dual axis bullseye ranges
- Pre-programmed commonly used target pitches: 1/8 in, 1/4 in, 3/8 in, and 1/2 in/ft
- Easily achieve target angle by setting an audible alarm
- Use in bullseye orientation to accurately determine X and Y axis
- V-groove edges enable optimal alignment on conduit and pipes
- Strong magnetic base attaches to ferromagnetic surfaces

ITEM # 935DAGL-11611

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING



SHOP
NOW



KLEIN® BC502S Tool Apron Storage Module



- Module has 12 compartments to accommodate a wide variety of Lineman tools
- Double stitched hammer loop and knife pouch keeps tools secure when not in use
- 2 integrated, Rare Earth magnetic plates are located on the front of the module to quickly hold metal hand tools and parts
- Made with heavy-duty, UV resistant plastic to stand up to tough working conditions
- 2 S-Hooks are required to help secure the module to the aerial bucket
- Pockets: 13

ITEM # BC502S-11611

KLEIN® VDV500920 Digital Tone and Probe Set



- Tone on cables connected to a switch or router without disconnecting cables
- Rugged angled bed of nails to trace on unstripped wires
- Wire mapping capabilities to check pin-to-pin connections with shield detection
- Filter 60 Hz for accurate tracing
- Includes tone generator, tracing probe, various leads for testing, batteries, and instruction manual
- Wire toning and tracing
- Battery type: 8 pc x AAA

ITEM # VDV500920-11611

KLEIN® 63060 Ratcheting Cable Cutter



- Patented two-step ratchet mechanism requires fewer strokes per cut
- Quick-release lever opens blades easily in every cutting position
- Hardened steel cutting blades for lasting strength and sharpness
- Locking lever keeps handles closed for easy transport, to fit in tool box or bag
- New higher cutting capacity and reduced hand force make it easier to cut large diameter cables
- Hard steel jaw

ITEM # THA40360

KLEIN® 3224 Erection Spud Wrench



- Forged from select alloy steel to withstand high leverage and heavy loads
- Extra Heavy-duty head design allows for maximum strength and durability
- Continuous taper of handle makes lining-up bolt holes easy and works on a range of bolt and/or hole sizes without binding
- Extra-large hub area works on larger diameter holes better than other wrenches
- Catalog number, bolt size and nominal opening size are stamped on every wrench for easy identification
- American bridge design, U.S. regular nut

ITEM # THA37940

KLEIN® 56064 Rechargeable Headlamp



- Battery gauge indicates level of battery life with colored LED lights
- Headlamp has 3 modes: boost at 400 lumens for 4 hr, spotlight at 200 lumens for 12 hr, and floodlight at 100 lumens for 22 hr
- Slim profile with pivoting mount to allow up to a 64° lighting angle
- Adjustable silicone strap secures headlamp onto head, hard hat, or cap
- Light can be easily removed from bracket for recharging
- Durable headlamp: drop-test rating of 6 ft, dust and water resistant

ITEM # 56064-11611

KLEIN® 32288 8-in-1 Insulated Screwdriver Set



- Securely and easily release the blade with a quick twist of the lock collar
- Interchangeable blades with a slim-tip to fit tight terminal blocks
- Handle and blade have a 1000V insulation rating
- A layer of orange impact and flame resistant insulation protects from electric shock
- Cushion-Grip™ handles for greater torque and comfort

ITEM # 32288-11611

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755

45

DEWALT®

GUARANTEED TOUGH.

DEWALT® DCB104 Multi-Port Simultaneous Fast Charger



- For use with 12V MAX*, 20V MAX*, and FLEXVOLT 20/60V MAX* batteries
- Simultaneous charger: all ports charge at the same time
- 8 amp simultaneous output per port
- Cord wrap for hassle-free storage
- Side brackets to mount onto the ToughSystem® rails
- Thru-hole wall mounts
- ToolConnect™ tag ready

ITEM # DCB104-10254

DEWALT® DCE150D1 Cordless Cable Cutting Tool Kit



- Able to cut up to 750 mcm copper and 1000 mcm aluminum cable
- Easily replaceable cutting blade
- Padded shoulder strap with connection ring
- Bright led light to help illuminate cutting surface
- Easily accessible forward/reverse switch
- Kit includes (1) DCB203 2 Ah Li-ion battery, (1) charger, (1) shoulder strap, (1) hang hook

ITEM # DCE150D1-10254

DEWALT® DCL079B 20V MAX* MATRIX™ Cordless Tripod Light



- Natural white LED provides accurate color visibility, long life span and stays cool to the touch
- Three brightness settings to customize work space illumination
- Telescoping pole extends light head to 7 ft to reduce shadows and glare
- Latch mechanism on handle to easily extend and collapse legs
- Tough shroud protects light head and withstands jobsite conditions
- Over 11 hr runtime
- Lumens: 1,001 to 3,000

ITEM # DCL079B-10254

DEWALT® DCC020IB 20V MAX* Corded/Cordless Air Inflator



- Three power sources for inflation on a jobsite and on the go (20V MAX*)
- High pressure inflation mode with automatic shutoff
- Convenient onboard accessory storage
- Threaded chuck for secure connection to inflation valve
- High volume inflation and deflation modes
- Heavy-duty rubber feet help reduce walking when in use
- Pressure rating: 3 to 160 psi

ITEM # DCC020IB-10254

DEWALT® DWA2T40IR IMPACT READY® Driver Bit Set, 40 pc



- Manufactured from high strength and durable chrome vanadium steel
- Ergonomic design to ease gripping and handling, improving the torque performance
- Router tip finish for better gripping and holding of screws
- Special surface treatment to prevent oxidation and corrosion
- For screw driving tasks application

ITEM # TAC10905

DEWALT® DWA1790IR IMPACT READY® Step Drill Bit Set, 3 pc



- Titanium nitride coated two flute spiral design provides longer life and better chip removal
- Split point tip of the drill bit increases speed
- Laser engraved numbers increases step visibility
- 1/4-inch hex shank
- Optimized for impact driver and drill usage

ITEM # THA77945

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING



DEWALT® DCBP520C 20V MAX* XR POWERSTACK™ 5 Ah Battery Kit



- 50% more power: tackle tough jobs with power that lasts
- Longer lifespan: help maximize longevity day in and day out with this battery that delivers an increase of charge cycles over the lifetime of the battery
- Compact size: work in tight spaces with an ergonomic design that enhances maneuverability without sacrificing power
- Resists wear and tear: take on the elements with a durable, overmolded base designed to provide a high level of impact resistance.
- State-Of-Charge: get quick visibility to your batteries' state-of-charge with the
- Innovative battery technologies designed to deliver certainty for the world's toughest pros

ITEM # DCBP520C-10254

DEWALT® 12V MAX* DW089LG Auto-Leveling Cordless Line Laser Level Kit



- Line laser features multiple design enhancements to improve productivity on the jobsite
- Ideal for professionals tasked with residential and commercial applications such as installing cabinets, drop ceilings, chair rails or doors and windows
- 12V MAX* Li-ion rechargeable power tool battery platform
- Green beam laser technology
- Three 360° line laser to aid in full room layout
- Integrated magnetic bracket with 1/4 in and 5/8 in thread
- Full-time pulse mode allows use with detector - maintains full brightness for visibility and extends range
- Over-molded housing and IP65 water/debris resistance
- Locking pendulum to help prevent damage to internal components

ITEM # THA27535

DEWALT® DWHT83550 TOUGHSERIES™ Construction Jack



- Hands free lifting with the step-to-lift function enabled by the reinforced handle
- Complete a wide range of applications with a lift capacity of up to 340 lb and a lift height of 8-3/4 in
- Lower with control and make fine-tune adjustments when leveling with the precision controlled lowering tab
- Slim tapered base provides easy access under applications
- No-load quick-release button: quickly set the tool under an application
- Ergonomically designed grip: help maximize comfort during strenuous tasks with an overmolded handle featuring reinforced metal ribs that provide additional support for tough loads

ITEM # DWHT83550-10254

DEWALT® DCF900P1 High Torque Impact Wrench



- Complete a wide variety of fastening applications with 1030 ft-lb of max fastening torque and 1400 ft-lb of max breakaway torque
- Increase user control in a variety of applications with 4-mode speed settings and variable speed trigger
- Designed to help prevent overtightening and fastener run-off with precision wrench™ control
- Reduce wear and tear on the battery while you work with batteryguard™ - a shock-absorbing battery-to-tool connection (battery sold separately)
- Illuminate dark workspaces using the on-tool led work light
- Bare tool — battery not included

ITEM # DCF900P1-10254

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755

47

RIDGID®

BUILT FOR THOSE WHO KNOW™

RIDGID® 31410 Torque Wrench 902



- Preset to eliminate guesswork in No Hub® soil pipe installations
- Assures proper coupling tightness for strong, leak-free joints
- No. 902 Torque Wrench: the 5/16 in drive tightens with a fast ratchet action until the wrench clicks for accurate 60 in-lb torque

ITEM # THA53590

RIDGID® 36248 Aluminum Torpedo Level



- Heavy duty with machined billet aluminum body. A rugged design that withstands tough conditions
- All terrain, waterproof and shockproof
- Easy-to-read oversized vials provide view from all angles
- Easy-to-use, includes rare earth magnets to provide stability at any angle
- Vial accuracy: 0.001 in/in

ITEM # THA54523

RIDGID® 32573 AUTOFEED® 2-in-1 Close Quarter Tubing Cutter



- Cutter can be used alone or with the ratchet handle
- Easy to use in hard-to-reach areas because the knob only needs to be tightened once
- Adjustable to any size from 1/4 to 1-1/8 in OD
- Tubing cutter comes with a spare E-3469 cutter wheel in knob
- New football-shaped knob in the cutter
- Ratchet handle also compatible with model 101 tubing cutter

ITEM # 32573-12632

RIDGID® 31380 Compound Leverage Wrench



- Compound leverage wrench offers a unique design that multiplies the turning force applied to a pipe
- Ideal for freeing locked couplings and joints frozen by age or damage
- Replaceable jaws are hardened alloy steel

ITEM # 31380-12632

RIDGID® 57003 EZ Change Plumber Wrench Faucet Tool



- Quickly and easily install new fixtures with certainty
- Unique cubed insert provides a variety of common nut sizes: ideal for most common 2, 3, 4, and 6 tab mounting nuts
- Retainer for 3 or 4 slot strainer baskets
- 5/8 in deep well socket for many single hole mountings
- Short body for clearance in tight spaces

ITEM # THA56481

RIDGID® 29993 Inner-Outer Reamer



- Hardened Steel Construction
- Inner-Outer Reamer includes 45 cutting edges on interior cone allow for fast, clean, inner reaming and outer deburring/beveling of copper and stainless steel tubing
- Dual inch/metric measurement bar

ITEM # THA37015

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING



**SHOP
NOW**



RIDGID® 32078 Quick Acting Tubing Cutter



- Two sets of split-floating guide wheels
- Wheels are located on the top and along the sides of the cutter wheel, ride in the corrugations to provide stable tracking, resulting in a high quality cut
- The floating guide rollers also serve to hold the two pieces of pipe together to ensure a complete and clean cut
- Ergonomic knob provides a firmer grip to cut through tubing quickly
- Quick acting mechanism allowing the cutter to rapidly adjust from 3/8 to 1 in dia tubing
- Durable I-beam style frame
- For 33190 standard wheel

ITEM # THA56740

RIDGID® 30088 Plastic Cutter



- Ergonomic grips on bottom handle are spaced at 1/2 in increments to act as a quick pipe measuring scale
- X-CEL® quick-change blade
- "Burr-less" cutting operation provides a square cut.
- Intended materials: Plastic (PVC, CPVC, PP, PEX, PE, rubber hose) and multilayer tubing

ITEM # THA53005

RIDGID® Aluminum Straight Pipe Wrench



- Aluminum pipe wrenches provide professional strength, durability, and ease-of-use found in all RIDGID® heavy-duty wrenches
- Knurled nut adjustment
- Floating forged alloy steel hook jaw with i-beam aluminum handle

ITEM #	PIPE SIZE	OAL
THA53280	1-1/2 in	10 in
THA53300	2 in	14 in
THA53320	2-1/2 in	18 in
THA53340	3 in	24 in
THA53380	6 in	48 in

RIDGID® 67178 PROPRESS® Inline Standard Press Tool Kit



- Brushless motor capable of over 100,000-press cycles
- Long-lasting and no scheduled maintenance needed
- Agile with endless 360° head swivel for reaching tight spaces
- Smart advanced LED interface for easy operation
- Offers Bluetooth connectivity (connecting the tool to the RIDGID link app), which allows users to track numbers of cycles, battery information, and much more
- Robust LED lighting for low-light applications
- Runs on 18-Volt advanced lithium-ion 2.5 Ah rechargeable battery
- Kit includes 11-items: RP 351 tool, 18V rechargeable batteries, charger, 6-jaws (1/2 in, 3/4 in, 1 in, 1-1/4 in, 1-1/2 in, 2 in) and a carrying case

ITEM # 67178-12632

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755

49



Professional. Nothing Less.

GREENLEE® GT-16 Adjustable Non-Contact Voltage Detector



- Adjustable to safely detect power and low voltage
- Safely detects AC voltage without touching the bare conductor
- Adjustable for use on power wiring plus lighting, thermostats and other low voltage circuits
- Finds breaks in wires
- Identifies hot and neutral conductors
- Low battery indicator

ITEM # GT-16-11113

GREENLEE® TR13 Dual-Tip Non-Contact Voltage Detector



- Non-contact voltage detection from 50V to 1000V AC
- Patented dual-tip design to detect voltage in tamper-resistant and conventional 15A and 20A 120V outlets
- Patented automatic self-test verifies circuit integrity
- Audible and visual alert when voltage is present
- Bright flashlight for use in dark work areas
- Can be used to detect voltage in outlets, lighting fixtures, circuit breakers, wires, and cables

ITEM # TR13-11113

GREENLEE® DTAPKIT Drill Tap Kit, 6 pc



- Complete hole drilling, tapping and deburring/countersinking in one operation
- Back tapered beyond tap to prevent thread damage from over-drilling
- Deburr/countersink also provided on bit beyond back taper
- Made from hardened high speed steel versus carbon steel for longer life
- High quality hex shank to ensure strong connection to drill chuck
- Designed to tap up to 10 ga metal
- Quick change adaptor included in both metric and standard kits

ITEM # TEM25149

GREENLEE® GSBSET3 Step Bit Kit, 3 pc



- #1, #4, and #9 bits
- Durable split-point tip
- Patented split-step design optimizes chip load for fast, smooth cutting, and more holes per charge
- Progressive cutting edges provides power tool accessory balanced aggression to maximize torque efficiency and minimize stalling
- Improved double flute design for superior chip evacuation, cutting speeds, and tool life
- Three-flat shank for all 1/2 in drill chucks
- Laser markings for quick, easy product and size identification

ITEM # GSBSET3-11113

GREENLEE® K09-SYNCR0 Mechanical Crimper



- SYNCRO die rotation for 1-handed die change
- Color coded, laser cut dies for easy die identification
- Life tested beyond 10000 crimp cycles
- Engraved crimp groove allows for easy verification the connection was made properly
- Ergonomic molded grips
- Phosphated, polished and tempered for increased durability and corrosion resistance
- Locking extendable handles with four length sizes

ITEM # K09-SYNCR0-11113

GREENLEE® 435 Conduit Measuring Tape



- 3/16 in W x 3000 ft L
- Fish and measure conduit runs in one operation
- Permanently printed measurements every foot from zero to 3000 in
- Made of strong, waterproof polyester
- Pay out dispenser has anti-skid pads, handle and built-in cutter

ITEM # TEM25204

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

**SHOP
NOW**



GREENLEE® FTXF-100BP Fiberglass Fishtape



- 100 in, 3 pc bulk pack
- Utilize secondary exit and set case on the ground to free-up both hands for fishing
- Anti-bind design
- Quick Change replacement reels
- Fatigue/strain reducing ergonomic case design
- Compatible replacement reels: RFTXF-50, RFTXF-100

ITEM # FTXF-100BP-11113

GREENLEE® 660 Quick Change Carbide Tipped Hole Cutter Arbor Kit, 5 pc



- Cuts stainless steel quickly and easily
- Quick Change arbor allows for easy changes to cutter heads
- Flange stop prevents over-drilling
- Replaceable cobalt-steel pilot drill with split-point tip prevents walking
- Minimum chuck size 3/8 in

ITEM # 660-11113

GREENLEE® 709 Metal Diameter Stud Punch, 7/8 in



- Punches up through 20 ga steel studs in one stroke
- Aluminum head provides strength with minimum weight
- Contoured handle design gives better operator leverage and makes it possible to punch in tight places
- Self-stripping design eliminates punch hang-ups

ITEM # TEM25369

GREENLEE® 7238SB SLUG-BUSTER® Knockout Punch Die Kit, 1/2 in - 2 in



- High-leverage wrench with five-degree ratcheting mechanism
- Slug-Buster® punch profile splits slugs for easy slug removal
- Knurled edge on punches for better grip
- Knockout sets feature laser markings for quick part identification and alignment markings for improved accuracy
- Easy threading: draw studs with "dog point" tip helps eliminate cross-threading
- Minimum chuck size 3/8 in

ITEM # TEM25425

GREENLEE® 5124 Phase Sequence/Motor Rotation Indicator



- Meter detects live phase and sequence orientation of three phase power sources and industrial equipment conductors to ensure proper installation
- Motor rotation function identifies rotational direction of industrial equipment such as motors, compressors and generators
- Non-Contact Motor Rotation feature determines rotation of running single-phase and three-phase motors without the use of leads
- Includes tri-colored banana leads, alligator clips, 9V battery, and case

ITEM # 5124-11113

GREENLEE® 735BB Round Knockout Punch Kit



- For use with new Greenlee® KRW-1 high-leverage ratchet wrench
- Slug-Buster® punch profile splits slugs for easy slug removal
- Knurled edge on punches for better grip
- New die design optimized for widest range of materials and drivers
- Draw studs with "dog point" tip helps eliminate cross-threading
- Knockout set punches, dies and case made in the USA
- Draw stud manufactured in the USA
- Laser markings for quick part identification
- Alignment markings for improved accuracy

ITEM # 735BB

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755



Justrite™

SHOP
NOW



Start with the EssentialSM

JUSTRITE® Flammable Safety Storage Cabinet



- Fire-resistant, leak-tested design: 2 in leakproof sump contains spills and leaks
- Complies with OSHA, NFPA 30, and NFPA 1
- Fire tested and FM approved
- Welded 18 ga steel double-wall construction with 1-1/2 in of insulating airspace
- Self latching doors
- 350 lb load per shelf

ITEM #	DIMENSIONS (in)	CAPACITY	DOOR TYPE
813000-11531	42 L x 18 W x 44 H	30 gal	Manual Close
813020-11531	42 L x 18 W x 44 H	30 gal	Self-Closing
814500-11531	43 L x 18 W x 65 H	45 gal	Manual Close
814520-11531	43 L x 18 W x 65 H	45 gal	Self-Closing

JUSTRITE® 231703 Li-Ion Battery Charging Safety Cabinet



- Ideal for charging and temporary storage of lithium-ion batteries
- 4 kWh TECR maximum total capacity – includes 8-receptacle power strip
- Welded 18 ga steel double-wall construction with 1-1/2 in of insulating airspace
- Heat-reactive label changes colors when external temperatures reach 120°F
- Shelf capacity: 65 lb of evenly distributed weight
- Cabinet dimensions: 24 in H x 43 in W x 18 in D

ITEM # 231703-11531

JUSTRITE® CHECKERS® ALTURNAMAT® TuffTrack Ground Protection Mat



- 100% recycled high-density polyethylene
- Diamond cleat tread surface on both sides provides impressive grip
- Optional hand holes for easy maneuverability
- Supports loads up to 120 ton
- Contours to different ground conditions due to its flexible design
- Low-profile VersaMat® surface also available
- Mats can be locked together with Turn-A-Links forming a continuous roadway

ITEM #	SIZE
AM28-11531	2 ft x 8 ft
AM38-11531	3 ft x 8 ft
CON10100	4 ft x 8 ft

JUSTRITE® CHECKERS® MAMBAMAT® Composite Ground Protection Mat



- Ergonomic orientation with 8 standard hand holes, significantly improves ease of handling for users
- Designed to support weights of up to 95 ton, helping to preserve the condition of the property, avoiding expensive repair or restoration expenses
- Reliable pedestrian traction mitigates the risks of accidents and injuries
- Flexible construction follows the contours of the ground, delivering effective access solutions on most ground conditions

ITEM #	SIZE
MM38-11531	3 ft x 8 ft
MM48-11531	4 ft x 8 ft

JUSTRITE® Safety Cans Type I & Type II

- All Justrite® cans feature: self-closing (spring-loaded caps), positive pressure release valves, S/S flame arresters, raised base, handle, and reinforcing ribs
- Type II cans feature trigger controlled pouring with Safe-Squeeze® trigger
- Type II D.O.T. cans also feature roll bars and a lid hold-down bracket for safety during transit



RED	YELLOW	BLUE	GREEN
Gasoline	Diesel	Kerosene	Oils

Type I Cans

ITEM #	SIZE
SAF40015	1 gal
SAF40020	2 gal
SAF40025	2.5 gal
SAF40040	5 gal
SAF40042	5 gal
SAF40043	5 gal
SAF40044	5 gal

Type II AccuFlow™ Cans

ITEM #	HOSE	SIZE
SAF40023	5/8 in	1 gal
7250220-11531	5/8 in	5 gal
SAF40022	5/8 in	2 gal
SAF40032	5/8 in	2.5 gal
SAF40033	1 in	2.5 gal
SAF40045	1 in	5 gal
SAF40048	5/8 in	5 gal
SAF40051	1 in	5 gal

Type II AccuFlow™ D.O.T. Cans

ITEM #	HOSE	SIZE
SAF40047	1 in	5 gal
SAF40049	1 in	5 gal

*Additional sizes and types per liquid specifications are available

PLEASE CONTACT HSI FOR YOUR UP TO DATE PRICING



AccuFORMNMC™

AccuFORMNMC® Tags-By-The-Roll, 6-1/4 in x 3 in



	QTY 100	QTY 250	TICKET DESCRIPTION
[A]	TAR128-10027	TAR158-10027	Danger - Barricade
[B]	TAR104-10027	TAR140-10027	Danger - Do Not Enter
[C]	TAR110-10027	TAR121-10027	Danger - Do Not Operate
[D]	TAR118-10027	TAR148-10027	Danger - Out of Service
[E]	TAR412-10027	TAR423-10027	Danger - Blank
[F]	TAR714-10027	TAR730-10027	Out of Service
[G]	TAR136-10027	TAR160-10027	Caution - Barricade
[H]	TAR130-10027	TAR152-10027	Caution - Do Not Operate
[I]	TAR718-10027	TAR736-10027	Caution - Scaffold Inspection
[J]	TAR101-10027	TAR103-10027	Caution - Does Not Meet OSHA Standards
[K]	TAR460-10027	TAR482-10027	Danger - Do Not Operate (Bilingual)
[L]	TAR402-10027	TAR470-10027	Danger - Do Not Operate - Equip. Locked Out
[M]	TAR404-10027	TAR472-10027	Danger - Do Not Operate
[N]	TAR109-10027	TAR111-10027	Danger - Do Not Use Scaffolding
[O]	TAR112-10027	TAR113-10027	OK - Equipment Is OK

- Portable and convenient cardboard dispenser
- Tear and water resistant PF-Cardstock tags
- Connected end to end with perforations

AccuFORMNMC® Job Site Signs



*Signs available in three materials — adhesive, plastic or aluminum

Most signs are available in multiple sizes

- 7 in x 10 in
- 14 in x 20 in
- 10 in x 14 in
- 18 in x 24 in

ITEM #	DESCRIPTION	ITEM #	DESCRIPTION
MADM006	Authorized Personnel	MCHL245	Gasoline
MCRT135	Construction Area	MPPA005	Hard Hat Area
MPPE140	Construction - Hard Hats Req'd	MPPA029	Hard Hats Required
MADM014	Construction - Keep Out	MELC114	High Voltage
MCRT034	Construction - PPE Required	MELC128	High Voltage - Keep Out
MADM003	Construction - Auth Personnel	MELC103	High Voltage Overhead
MCRT122	Construction - No Trespassing	MADM058	Keep Off
MCRT126	Construction - Unauth Keep Out	MADM146	Keep Out
MCRT103	Deep Excavation	MLKT015	Lock Out Equip. Before Entering
MCHL226	Diesel Fuel	MCRT016	Men Working Above
MADM139	Do Not Enter	MSMK133	No Smoking
MELC022	Electrical Hazard	MCRT010	Open Pit
MCRT008	Falling Material	MCRT022	Open Trench
MFPRT105	Fall Protection Required	MEQM242	Overhead Crane
MCHL231	Flammable		

ADDITIONAL STOCK MESSAGES AVAILABLE....CONTACT YOUR HSI REP FOR MORE DETAILS

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755

CRESCENT®



CRESCENT® CTK229C Mechanics Tool Set, 229 pc



- 1/4 in, 3/8 in, and 1/2 in drive sizes
- Precision 5° swing arc and teardrop low profile head
- 72 tooth quick release ratchets, allowing for rapid socket exchanges
- Sockets in this set include come in Metric and SAE sizes all in 6-Point style
- Access even more fasteners with the range of bit sockets included in the set covering Torx® & Hex common sizes
- Includes metric and SAE sizes

ITEM # CTK229C-10143

CRESCENT® CPTAW8 PASS-THRU™ X6™ Black Oxide Adjustable Wrench/Socket Set



- Versatile fastening tool that offers the user multiple fastening options from a single tool design
- Traditional 8 in adjustable wrench with laser etched SAE/metric scales and a wide jaw opening
- Pass-Thru™ reversible ratcheting system functions over long threaded rods
- Universal design fits 6 fastener types: hex, square, 12-Point, E-Torx, partially rounded hex, and spline

ITEM # THA63581


CRESCENT WISS® M3R METALMASTER® Aviation Metal Snips



- Cuts straight and slight left and right curves with yellow handles for quick identification
- Cuts up to 18 gauge low carbon, rolled steel
- Tested up to 500,000 cuts, engineered for superior cutting performance
- Superior design requires 20% less force to cut
- Ultra durable pivot bolt design provides a longer cutting life
- Precision ground, serrated blades allow for enhanced material control
- Spring loaded return for easy use
- Ergonomic, single material non-slip handle

ITEM # THA99343

CRESCENT® 22150HIN Nicholson Anniversary File Set, 5 pc



- Industrial assortment includes 6 in slim taper, 8 in round, 8 in single-cut mill, 8 in half-round, and 10 in double-cut flat files
- Ergonomic co-molded handles with anniversary design provide a comfortable grip, enhancing productivity and reducing hand fatigue
- Tempered steel construction offers strength and durability for long-lasting performance
- Must-have files to cover a broad range of uses
- Includes pouch for storage and organization

ITEM # 22150HIN-10143

CRESCENT® ACV218VS Adjustable Tapered Handle Wrench



- SYNCRO die rotation for 1-handed die change
- Color coded, laser cut dies for easy die identification
- Life tested beyond 10000 crimp cycles
- Engraved crimp groove allows for easy verification the connection was made properly
- Ergonomic molded grips
- Phosphated, polished and tempered for increased durability and corrosion resistance
- Locking extendable handles with four length sizes

ITEM # AC218VS-10143

CRESCENT® CAPW18 K9™ Aluminum Jaw Pipe Wrench




- K9™ jaw technology allows teeth to bite in an arc of 30° for greater access in tight spaces
- 25% larger bite surface provides maximum grip helping to increase tooth durability and life
- Adjustment ring thread pitch angled for 2x faster opening and closing of wrench jaw
- 40% less weight helps reduce user fatigue
- Handle shape optimized for maximum power and user comfort
- Exceeds federal torque load specification by over 140% for maximum strength and durability

ITEM # TEM25204

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING



GEARWRENCH® 9509N Reversible Ratchet Combo Wrench Set



- 1/4 in, 3/8 in, and 1/2 in drive sizes
- Precision 5° swing arc and teardrop low profile head
- 72 tooth quick release ratchets, allowing for rapid socket exchanges
- Sockets in this set include come in Metric and SAE sizes all in 6-Point style
- Access even more fasteners with the range of bit sockets included in the set covering Torx & hex common sizes
- Includes metric and SAE sizes

ITEM # CTK229C-10143

GEARWRENCH® 82248 Extendable Indexing Pry Bar, 48 in



- Expandable and adjustable to reach areas inaccessible to a fixed head tool
- Head rotates 180° through 14 locking positions for great access and leverage
- Compact design allows for work in tight spaces
- Designed for demolition, repositioning equipment, industrial work, aligning steel components, or moving engines
- Grooved head profile grips and holds securely, even in tight confines
- Exceeds ASME and ANSI requirements for proven strength

ITEM # THA67791

GEARWRENCH® 80942 Mechanics Tool Set, 239 pc



- Full polish chrome 1/4 in, 3/8 in and 1/2 in standard sockets, and 1/4 in and 3/8 in in deep sockets
- 45 tooth quick release full polish chrome teardrop ratchets,
- Contains 12 point full polish long pattern combination wrenches and sockets
- Combination wrenches feature a 15° offset box end for added knuckle clearance
- SAE and metric long arm hex keys
- Three drawer storage box with independent sliding drawers

ITEM # THA68570

GEARWRENCH® 80191R 19-in-1 Ratcheting Multi-Bit Driver



- High torque ratchet mechanism allows for faster driving
- End cap bit storage keeps bits organized
- Ergonomic tri-lobe dual material handle provides balance of strength and efficiency
- Oil and solvent resistant handle provides a longer tool life
- Professional, full polish chrome, easy to clean finish shank
- Includes Phillips, slotted, Torx and square bits and is also compatible with 3 nut driver sizes

ITEM # 80191R-10143

GEARWRENCH® MEGAMODMRO Master Mechanics Hand Tool Set with Modular Foam Trays and Mobile Work Station



- Comprehensive 614 piece set mix of mechanics hand tools including drive tools, sockets, bit sockets, wrenches, ratcheting wrenches, pliers and screwdrivers
- 90-tooth ratchet gear delivers a 4° swing arc to turn a fastener in tight confines
- 72-tooth ratcheting wrenches with a 5° swing arc with off-corner loading design on box end provides better grip and reduces fastener rounding
- Flex head ratcheting wrenches with flex head that tilts up to 180 degrees at any interval
- Reversible ratcheting wrenches with compact reversing lever allows for quick changes without removing ratcheting box end from fastener
- Tri-lobe ergonomic dual material handle Phillips and slotted screwdrivers for optimal balance of strength and comfort
- Precision engineered hex and ball-end hex bit sockets with bits made of S2 steel for added strength and better fastener fit
- Professional assortment of ergonomic dipped grip handle pliers with tongue and groove, slip joint, linesman's, diagonal cutting, and long nose
- 42 in 11-drawer mobile work station offers 19,000 cubic inches of storage capacity and a built-in charging station
- Tools pre-packed in foam storage trays
- Full lifetime warranty on all hand tools and a 5 year warranty on the mobile workstation

ITEM # MEGAMODMRO-10143

PLEASE CONTACT  **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755

55



STABILA® 25100 TYPE 81SM Torpedo Spirit Level, 10 in



- Tough cast aluminium profile
- Slender, trapezoidal profile shape for an optimum, easy grip
- Strong rare-earth magnet system for adhesion to metal objects
- Ideally suited for applications in cramped conditions
- Spirit level with one precision-milled measuring surface
- Measuring accuracy in normal position is ± 0.02 in/ft and ± 0.03 in/ft in reverse position

ITEM # 25100-12954

STABILA® 39548 IP67 Digital Tech Level



- Electronic spirit level with two digital displays for instant measurement of inclines, slopes and angles
- Optimum protection against dust and water in accordance with IP 67
- Acoustic guidance allows for quick alignment without looking at level
- Calibration free even after falling or exposure to temperature fluctuation
- Long operating time of up to 400 hours
- Keyboard lock to prevent accidental input
- ROOF-PITCH mode (in/ft) to quickly determine the roof pitch

ITEM # 39548-12954

STABILA® 3420 LAX 600G GREENBEAM 3-Plane 360° Laser Level



- CAS 12V battery-powered, self-leveling line laser with green 3 x 360° lines for precise layout work
- Work on sharp and perfectly visible lines – up to 130 ft away
- Ready for immediate use with fast self-leveling with a pendulum mechanism
- Divide rooms into 4 x 90° with two orthogonal vertical lines
- Vertical plumb line and a horizontal line for exact height transfers
- Sturdy aluminum and glass frames and the shock-absorbing STABILA® soft grip exterior
- CAS 12V Li-Power 2.0 Ah rechargeable battery for up to 15 hours of use
- Quick recharging in 45 minutes

ITEM # 03420-12954

STABILA® 29940 TYPE 80ASM-2 Pro Set Spirit Level Set, 12 in/24 in/48 in



- Comes in three common lengths: 12 in, 24 in, and 48 in
- Slim, easy-grip aluminium profile with reinforcing ribs
- Extra-strong rare-earth magnet system for adhesion to metal objects
- Locked vials ensures long-term accuracy
- Firmly seated during marking thanks to integrated slip-stoppers
- Plastic end caps protect the profile against impact
- Two measuring surfaces

ITEM # 29940-12954


STABILA® 3185 LAX 300G GREENBEAM Laser Level



- Self-levelling line laser with plumb-line dots
- GREENBEAM technology – with optimum visibility up to 95 ft
- Provides 1 horizontal line, 1 vertical line and plumb-line dots upwards and downwards
- Energy-saving laser diodes enables an operating time of up to 15 hours
- Can be used on the floor, on a tripod, with rare-earth magnets on metallic objects or on the wall bracket
- Laser can be pivoted 360° inside the housing

ITEM # 03185-12954

STABILA® 35712 TYPE 106T Extendable Plate-to-Plate Level, 7-12 ft



- Extend so tall walls, tall doors and big windows can be installed properly and quickly
- Strong reinforced frame.
- Measuring surfaces are not machined
- Two hand grips.
- Steel hang hole for storage
- 6 sided keyed extension rail delivers smooth and rigid operation
- Vial accuracy guaranteed for life
- Plumb vial always at eye level
- 2 plumb vials, 1 level vial
- Positioning scale on both sides of the extension rail for FAST set-ups
- Removable 1-5/8 in stand-offs included deliver accurate plate to plate measurements around braces

ITEM # 35712-12954

PLEASE CONTACT **HSI** FOR YOUR UP TO DATE PRICING



SHOP
NOW



CM® SERIES 622-A Hand Chain Hoist

- Classic round-type, compact design makes hoist ideal for low-headroom applications
- Durable steel frame with heat-treated, load-bearing components for long life: 4:1 design factor
- Load tested to 150% of rated capacity
- Forged hooks swivel 360° and have large throat openings to allow for easier load attachment and positioning
- Stamped steel safety latches ensure secure load attachment and prevent accidental unhooking of the load when the chain is slack
- Reliable, low-maintenance Weston-type braking system stays clean and dry for precise load positioning
- Rolled-edge design ensures smooth movement of hand chain
- Double pawls ensure positive load control in all environments as well as precise load positioning

ITEM #	LOAD	LENGTH
2255A-10449	1/2 ton	10 ft
2256A-10449	1 ton	10 ft
2262A-10449	1 ton	20 ft
2264A-10449	1 ton	30 ft
2272A-10449	2 ton	30 ft
2260A-10449	5 ton	10 ft

CM® SHOPSTAR® Electric Chain Hoist

- Standard protector overload device
- 10 pocket oblique lay lift wheel provides longer chain wear
- Epoxy powder coat finish
- Optional impact resistant chain container available
- Gear train lifetime lubricated with non-oxidizing grease
- CM hoist alloy load chain (zinc plated optional)
- Thermally protected hoist duty motor
- Rugged cast aluminum alloy hoist frame
- Design factor 5:1
- Rigid hook suspension prevents tangling of power cord
- Hardened forged steel latch style lower hook rotates 360°
- Totally enclosed non-ventilated hoist frame protects motor from environmental contamination
- True vertical lift WITH LONGER LIFTS.
- Precision bearings used throughout hoist
- H4 duty cycle
- Hook mounting

CM® SERIES 653-A Lever Chain Hoist

- Full 360° rotation of handle allows for versatile rigging options when working in confined spaces
- Single-handed free chaining feature allows for quick take up and positioning of slack chain.
- Designed not to accidentally free chain while under load
- Impact resistant stamped steel frame and gear cover withstands repeated rigorous use
- Enclosed Weston type load brake stays clean and dry for positive load positioning
- Double pawl design ensures that one pawl always will be engaged at all times for reliable load control

ITEM #	LOAD	LENGTH
HOI11115	3/4 ton	5 ft
HOI11116	3/4 ton	10 ft
HOI11117	3/4 ton	15 ft
HOI11118	3/4 ton	20 ft
HOI11119	1-1/2 ton	5 ft
HOI11120	1-1/2 ton	10 ft
HOI11121	1-1/2 ton	20 ft
HOI11122	3 ton	5 ft
HOI11123	3 ton	10 ft
HOI11124	2 ton	20 ft
HOI11125	6 ton	5 ft
HOI11126	6 ton	10 ft
HOI11127	6 ton	20 ft ft

ITEM #	LOAD	LENGTH	DESCRIPTION
2047-10449	300 lb	10 ft	Single Reeving, 16 fpm
2080-10449	500 lb	10 ft	Single Reeving, 16 fpm
2089-10449	500 lb	10 ft	Single Reeving, 12 fpm
HOI10304	600 lb	10 ft	Double Reeving, 8 fpm
2038-10449	600 lb	10 ft	Double Reeving, 8 fpm
2109-10449	1/2 ton	10 ft	Double Reeving, 6 fpm

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755

eSYNC

PORTABLE & EXPANDABLE
MOTION CONTROL SYSTEM

eSYNC KEY FEATURES

Interface allows quick access to menus for user inputs and monitoring lift performance

Cordless 60VDC battery system and 115VAC or 230VAC powered options

USB for data-logging synchronous lifts for post review

E-Stop for quick connected pump and valve actuation shutdown in an emergency

Pendant controls synchronous/manual toggle, advance/retract, and synchronous stop

Pressure transducer for digital system pressure readout

Feedback sensors allow controlling the accuracy between all points within a 1 mm tolerance

Millisecond adjustable electrically controlled valves meter the distribution of oil into the hydraulic circuits for increased accuracy

Load lowering valve controls the descent of a heavy object

Adjustable relief valves allow for user control of the advance and retract fluid pressure

Standard link option for connecting multiple units together creating a larger multi-point eSync system



PB43 [CORDLESS] & PE60 [CORDED] HYDRAULIC PUMPS

uCAGE ADDITIONAL FEATURES

- Protective and stackable uCage comes standard for the eSync, storage totes, and hydraulic pump
- Three on-board stackable totes allow protection and storage of position sensors and cables
- Lock-in-place design with secure strap for hassle-free transportation

- Handheld pendant controls the auto and manual functions allowing a remote position for better visual operation with included storage holster
- Pendant controls auto synchronous/manual toggle, advance/retract, and stop operation for safety situations that require a quick override
- IP55 rated remote with 12 ft cord and large buttons

- Li-ion 60V DC, 8.0 Ah battery with 4 level battery life indicator
- 1.5 Hour battery charge time from drained to full
- Charger available in 115V AC 60 Hz or 230V AC 50 Hz
- Global battery compatible with both charger styles

- The uCage is connected with quick pins, making the setup and breakdown processes hassle-free and eliminating the need for additional tools
- The uCage innovative design is stackable, optimizing storage space, improving eSync screen visibility, and facilitating transport

Available with PB43 (cordless) and PE60 (corded) hydraulic pumps with different power options

Ergonomic 2-person carrying handle

Weatherproof pump rating of IPX4

Plug and play manifold for easy hose connection

Industry leading Power Team Vanguard Pump technology

Easy-access hydraulic fluid drain port

Protective and stackable uCage comes standard with PE60 or PB43 hydraulic pumps

Hydraulic oil reservoir with sight gauge

- PB43 (cordless) 3.0 gal
- PE60 (corded) 2.5 gal

Lightweight and portable — great performance to weight ratio

Two-stage, high pressure (10k psi) hydraulic pump offers unloading valve that achieves greater pump efficiency with quick tool advancement in the first stage, while shifting to high pressure second stage when demanded

SCAN QR FOR FULL eSYNC SPECS



HARRINGTON®

HOISTS AND CRANES

SHOP
NOW




HARRINGTON® LB SERIES Heavy Duty Lever Hoist



- Forged, heat-treated alloy steel hooks open gradually without fracturing under excessive load
- Rugged, high-impact, all-steel construction weighs less than comparable aluminum models
- Open design for easy inspection and cleaning without dismantling the unit
- Operate in close quarters with short handle and 15° recovery stroke
- Weston-style load brake with four braking surfaces, two brake pads and two brake pawls for added safety
- Top and bottom hooks rotate 360°
- Rubber grip handle for non-slip operation

ITEM #	LOAD	LENGTH
HOI70005	3/4 ton	5 ft
HOI70010	3/4 ton	10 ft
HOI70015	3/4 ton	15 ft
HOI70020	3/4 ton	20 ft
HOI70045	1-1/2 ton	5 ft
HOI70050	1-1/2 ton	10 ft
HOI70055	1-1/2 ton	15 ft
HOI70065	2 ton	5 ft
HOI70070	2 ton	10 ft
HOI70075	2 ton	15 ft
HOI70115	3 ton	15 ft

HARRINGTON® SNER 1-Phase Electric Hoist



- Compact die-cast aluminum body
- Completely sealed body suitable for indoor, outdoor and harsh environments
- Forged carbon steel hooks open gradually without fracturing under excessive loads
- Bottom hook swivels 360°
- Heat treated helical and spur gears
- Gears submersed in an oil bath for quiet, smooth, cool operation
- Impact-resistant plastic remote with molded strain relief to avoid damage from pulling on the push button cord — IP65 rated
- Long-lasting, heavy cast iron construction chain guide that is easily replaced without disassembling the hoist

PARAMETER	AS-CONFIGURED
HOIST TYPE	STD.
HOIST RATING	STD.
HOIST WEIGHT (LBS.)	STD.
PULL TO LIFT LOAD (LBS.)	STD.
OVERHAUL RATIO	STD.

ITEM #	LOAD	LENGTH
SNERP005L-20-11188	1/2 ton	20 ft
SNERP010L-10-11188	1 ton	10 ft
SNERP010L-15-11188	1 ton	15 ft
SNERP010L-20-11188	1 ton	20 ft
HOI70515	2 ton	10 ft
SNERP020L-15-11188	2 ton	15 ft
SNERP020L-20-11188	2 ton	20 ft

HARRINGTON® PT Push Trolley



- A strong, lightweight, and compact design
- Load equalizing suspension distributes the load evenly to all wheels
- Specially designed contoured wheels will fit both tapered and flat-flange beams
- Adjustable flange width will fit a wide variety of beam flange widths
- Maintenance-free low friction design
- Lubricated for life
- Sealed to avoid maintenance hassles and provide smooth operation
- For load travel when electric power is not necessary or available
- 11 in headroom

ITEM #	LOAD
HOI70350	1 ton
HOI70355	2 ton
HOI70360	3 ton

HARRINGTON® CF SL SERIES Hand Chain Hoist



- Heavier duty and more robust suspension system compared to the standard CF Series
- Die-cast aluminum body and high-strength, heat-treated main pinion shaft and load gear
- Weston-style load brake with two [2] moisture-resistant brake pads and four braking surfaces
- Pre-lubricated ball bearings limit the effort needed to hoist a load
- Notched hook and latch system for improved safety and resistance to lateral forces

ITEM #	LOAD	LENGTH
CF010-10-SL-11188	1 ton	10 ft
CF010-20-SL-11188	1 ton	20 ft
CF015-10-SL-11188	1-1/2 ton	10 ft
CF015-20-SL-11188	1-1/2 ton	20 ft
CF030-10-SL-11188	3 ton	10 ft
CF050-10-SL-11188	5 ton	10 ft

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755



CROSBY® TURNBUCKLES

- All end fittings are quenched and tempered or normalized allowing for greater durability at all temperatures
- Turnbuckle bodies have UNC threads, while end fittings use a modified UNJ thread — reducing stress at the root of the thread
- Each turnbuckle is heat-treated using Crosby's perfected methods which reduces the risk for catastrophic failure, improving safety on the jobsite
- All components have a high-quality, hot-dip galvanized finish for corrosion resistance and long-term sustainability
- Tested at 1.5x the WLL for a minimum standard of 20,000 cycles — their proof load is 2.5x the WLL, while their ultimate load is 5x the WLL
- Crosby® forges their logo and product identification code (PIC) into each turnbuckle to maintain material control from the steel mill through the manufacturing process — each turnbuckle component is PIC-coded for full traceability

CROSBY® HG-223 Hook/Hook Turnbuckles



CROSBY® HG-225 Hook/Eye Turnbuckles



CROSBY® HG-226 Eye/Eye Turnbuckles



CROSBY® HG-227 Jaw and Eye Turnbuckles



CROSBY® HG-228 Jaw and Jaw Turnbuckles



STRAIGHTPOINT® LOAD MONITORING



STRAIGHTPOINT® Wireless Load Shackle

- Available from stock in capacities from 3.25 ton to 500 ton
- Two versions of the WLS are available — long range 2.4Ghz wireless or Bluetooth® connectivity

ITEM # THA68570



STRAIGHTPOINT® Loadlink Plus

- Tension load cell capable of weighing and dynamic load monitoring in capacities from 1 ton to 300 ton

ITEM # THA68570



STRAIGHTPOINT® Radiolink Plus

- DNV-GL type approved wireless tension load cell capable of weighing and dynamic load monitoring in capacities from 1 ton to 500 ton
- Designed to be rigged with Crosby standard shackles

ITEM # THA68570



STRAIGHTPOINT® Blue Link Plus Dynamometer

- Connecting wirelessly to a wireless SP load cell will provide operator the ease of surveying a lift situation from a distance of up to 328 ft

ITEM # 2789218-13143

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING



TWIN-PATH® HEAVY LIFTING SLINGS

Perform heavy lifts with Twin-Path® high-performance synthetic roundslings. Twin-Path® slings are used worldwide in place of steel rigging for heavy lifts.

- The Twin-Path sling design, which has two individual paths of fiber working as one sling
- Strength & Durability: inside every Twin-Path roundsling are load bearing core yarns called K-Spec®, which are 10 times the strength of steel
- Lightweight & Ergonomic design: approximately 10% of the weight of a steel sling
- Easy Repair & Inspection: equipped with the Check-Fast® Inspection System which acts as an External Warning Indicator (EWI)
- Why Twin-Path? — Due to the Twin-Path design, abrasion damage can be easily repaired at HANES SUPPLY or any authorized Slingmax manufacturer

ABRASION & CUT RESISTANCE

- The core yarns of every Twin Path sling is protected by our Covermax Cover which is a double layered jacket that is very abrasion resistant as well as UV resistant
- Slingmax® offers a variety of engineered edge, cut and abrasion protection using high-performance synthetic materials



Scan QR to check out the
SLINGMAX® Check-Fast
Inspection System

HELIX™ Heavy Lifting Slings



- **Narrow Width Profile** — Helix™ slings offer high strength capacities while maintaining a narrow profile; ideal when lifting with narrow hardware or limited space
- **High Strength and Durability** — utilizing K-Spec® core fiber which is extremely durable, strong, and light weight with less than 1% elongation at rated capacity
- **Helix Braided HMPE Sling Cover** — Helix™ slings are equipped with an abrasion and chemical resistant HMPE braided jacket that protects the load bearing core yarn
- **Abrasion and Cut Protection** — Helix™ roundslings offer excellent protection against cuts and abrasion with additional protection available with Slingmax® engineered edge and cut protection compatibility with: CornerMax® Pad, CornerMax® Sleeve and Spider Sleeve



SPIDER SLEEVE Abrasion Protection Sleeves



- **Versatile Configurations** — Available in sliding, fixed, or removable configurations, providing flexibility to suit diverse rigging needs
- **Friction Reduction** — Spider Sleeve minimizes cover friction, allowing the sling's outer cover to glide effortlessly over itself or rough hardware
- **Choker Hitch Protection** — Protects against jacket damage when slings are tightly choked, enhancing the lifespan of your equipment
- **High Performance Material** — Crafted from 100% HMPE fiber, this sleeve is tightly woven to ensure exceptional strength and durability while maintaining an extremely low coefficient of friction



HSI IS YOUR AUTHORIZED SLINGMAX® DEALER

CONTACT YOUR HSI SALES REP TODAY FOR ALL OF YOUR RIGGING AND LIFTING NEEDS!

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755



XC2-SERIES CORDLESS HYDRAULIC TORQUE PUMPS

THE NEXT GENERATION OF CORDLESS
PERFORMANCE AND EFFICIENCY

- Cordless convenience eliminates extension cords, noise and emission producing generators
- Ideal for bolting applications requiring portability and convenience
- 20 ft detachable pendant control
- 4 in glycerine-filled gauge for easy viewing
- Adjustable pressure relief valve can be locked when desired pressure is set
- High-performance brushless motor drives flow rate comparable to 1/2 hp electric pumps for increased productivity and provides twice the life of brushed motors
- Bladder reservoir reduces contamination and allows pump use in any position
- Accessory shoulder strap SSTRP55 attaches to integrated steel rings for enhanced portability
- Compatible with the Enerpac® Connect App, which gives access to the latest tool & job information

Oil Fill
(must use funnel)

User Adjustable
Relief Valve

Inlet "Retract" Port
1/4 in - 18 NPTF

Pendant Connection
Port

Outlet "Advance" Port
1/4 in - 18 NPTF

Shoulder Strap
Connection Points

Pressure Gauge
(bar, psi, MPa)

Trigger Lock

Trigger



RESERVOIR CAPACITY

134 - 256 cu-in

FLOW AT RATED PRESSURE

20 cu-in/min

MOTOR & BATTERY SIZE

0.94 hp, 54V/4 Ah

MAXIMUM OPERATING PRESSURE

10,000 psi

Pendant Controls

- Heavy duty pendants operate on any XC2-Series pumps
- Easy connect/disconnect when not required
- Features large buttons, molded grip, lanyard loop, and hanger magnet
- Multiple seals within pendant provide IP64 environmental protection

MODEL #	DESCRIPTION
CC131	Pendant, 10 ft cord
CC132	Pendant, 20 ft cord
CC010	Extension cord, 10 ft

54V Li-Ion Battery

- 4.0 Ah battery with high-capacity cells provides extended runtime for higher cycle and larger tool and cylinder applications

ITEM # EBH544

54V Fast Charger

- Fast charger minimizes downtime with a 1.5 hr charge cycle
- Charger provides charge status, over-temperature and damaged battery indication

ITEM # EC1F541B

PLEASE CONTACT FOR **YOUR** UP TO DATE PRICING

www.HANESSUPPLY.com



LOUISVILLE® FXS15 Type IA Fiberglass Cross Step/Step to Cross Ladder



- Converts from step ladder into shelf ladder
- V-shape ProTop™ allows ladder to lean on walls
- ProTop with multiple tool spots and magnet
- SHOX™ impact absorption system
- Raptor boot with slip-resistant non-marring bonded tread
- Inside spreader braces with double-rivet step construction
- Double heavy-duty reinforcements with 300 lb capacity
- ANSI/CSA Certified, OSHA Approved

ITEM #	HEIGHT
LAD10365	4 ft
LAD10370	6 ft
LAD10375	8 ft
LAD10380	10 ft
LAD10385	12 ft

LOUISVILLE® FS15 Type IA Industrial Step Ladder



- Angled aluminum slip resistant rubber feet
- Large molded top with heavy-duty gusset bracing
- Wide top, pinch-resistant spreader braces
- Double-rivet step construction; 3 in step depth
- 300 lb capacity; ANSI/CSA Certified, OSHA Approved

ITEM #	HEIGHT
LAD10241	2 ft
LAD10242	4 ft
LAD10244	6 ft
LAD10245	7 ft
LAD10246	8 ft
LAD10248	10 ft
LAD10250	12 ft

LOUISVILLE® FE8912 Type IIA Fiberglass Manhole Ladder, 12 ft



- Narrow width for working in manholes
- 3 ft plastic rail protectors eliminate manhole rim damage
- 18° heavy duty boots to work on either ladder end
- Non marring thermoplastic elastomer tread
- Polypropylene copolymer upper boot
- Slip resistant round rungs
- 375 lb capacity; ANSI/CSA Certified, OSHA Approved

ITEM # LAD10198

LOUISVILLE® FXP17 PINNACLE Type IA Fiberglass Platform Ladder



- 30 in extended handrail from top to platform
- 30% larger platform for added comfort and safety
- ProTop™ with multiple tool slots and magnet
- Raptor slip-resistant boot
- SHOX™ impact absorption system
- Double-rivet step construction
- Wide back braces
- 300 lb capacity; ANSI/CSA Certified, OSHA Approved

ITEM #	HEIGHT
LAD10165	3 ft
LAD10166	4 ft
LAD10168	6 ft
LAD10169	8 ft
LAD10170	10 ft
LAD10171	12 ft

LOUISVILLE® FE32 Type IA D-Rung Extension Ladder



- Quicklatch Runglock System for secure storage
- Outside slide guides
- Steel swivel safety shoes with metal shield
- Mar-resistant rail end caps
- Direct rung-to rail connection with slip resistant rungs
- 300 lb capacity; ANSI/CSA Certified, OSHA Approved

ITEM #	HEIGHT
LAD10182	16 ft
LAD10184	20 ft
LAD10186	24 ft
LAD10188	28 ft
LAD10190	32 ft
LAD10192	36 ft
LAD10194	40 ft

LOUISVILLE® FE7240 Type IA D-Rung Extension Ladder, 40 ft



- Quicklatch runglock system for secure storage
- Outside slide guides
- Aluminum swivel safety shoes with full metal boot
- Mar-resistant rail end caps
- Aluminum rung connector plates
- Direct rung-to rail connection with slip resistant rungs
- 300 lb capacity; ANSI/CSA Certified, OSHA Approved

ITEM # LAD10199

PLEASE CONTACT **HSI** FOR **YOUR** UP TO DATE PRICING

1.888.426.3755



THE EXPERTS IN **BELOW-THE-HOOK** LIFTING SOLUTIONS

Hanes Supply has full access to **Engineered Lifting Technologies**.

ELT designs, engineers, fabricates and tests below-the-hook lifting devices for various industries including construction, steel and metal fabrication, material handling and wind tower erection.

The engineering team at ELT designs each lifter in collaboration with **YOU** before it is released to the shop floor to be fabricated. This ensures that the product is crafted to your specific needs.

ELT's experienced engineers and skilled craftsman carefully monitor the project throughout all stages of the production process, resulting in a product that is built to exceed your expectations.


For more information or to request a quote, **contact your HSI sales representative.**



LIFTING AND
SPREADER BEAMS




PERSONNEL
BASKETS



COIL HANDLING
HOOKS



ADJUSTABLE CRANE
FORKS



FIXED CRANE
FORKS



LOAD TESTING

← SPREADER BEAMS →



ADJUSTABLE - ASB



TELESCOPING - TSB

THE EXPERTS IN **BELOW-THE-HOOK** WIND SOLUTIONS

Engineered Lifting Technologies offers a **patented wind turbine lifting system exclusive to Hanes Supply**. Designed to be a fast and safe solution, our wind tower brackets are the gold standard in wind turbine lifting.

Each Bracket Weighs Only 92 lb

• Small size and weight offers superior ergonomics

Adjustable Eccentric Inserts

• Replaceable inserts easily and quickly adjust to variances in hole tolerances "on-the-fly"

Two-Point Top Pick

• Eliminates the dangers inherent with using wire rope blocks to balance a four-point pick

Exceeds ANSI/ASME Requirements





• Zinc dichromate plated body for outstanding corrosion protection.

Designed to be Used with Slingmax®

• Two individual paths offer superior safety in the event of a rip or tear



HSI SERVICES



HSI LOCATIONS

BUFFALO/HQ - 716.826.2636
55 JAMES E CASEY DR, BUFFALO, NY 14206

ROCHESTER - 585.235.0160
20 JETVIEW DR, ROCHESTER, NY 14624

SYRACUSE - 315.299.4114
6181 THOMPSON RD, STE 500A, SYRACUSE, NY 13206

ALBANY - 518.438.0139
156 RAILROAD AVE, ALBANY, NY 12205

WATERTOWN - 315.782.8247
22432 US ROUTE 11, WATERTOWN, NY 13601

CONNECTICUT - 203.481.3469
22432 US ROUTE 11, WATERTOWN, NY 13601

CAROLINAS - 704.220.1779
4350 THERMAL AVE, MIDLAND, NC 28107

WITH RESPECT TO RECENTLY ANNOUNCED TARIFFS AND UNCERTAINTY AS TO HOW OR WHEN THEY MIGHT AFFECT COSTS, PRODUCTS HAVE NOT BEEN PRICED. PLEASE CONTACT HSI FOR YOUR UP TO DATE PRICING.
ITEM AVAILABILITY IS NOT GUARANTEED.

CONTACT YOUR HSI REP TODAY

HSI
HANES SUPPLY INC.

1.888.426.3755

www.HANESSUPPLY.com